



PRODUCT CATALOG



CELEBRATION
In 2014 ABRO
celebrates
75 years of serving
the world.

For three quarters of a century, ABRO has consistently stood for quality and value. During the past 75 years, it has been ABRO's commitment to our distributors and the consumers who use our products that has fueled ABRO's growth. As we look to the future, we will never forget the foundation on which our success has been built.

At the heart of ABRO is our World Headquarters. Located in South Bend, Indiana, U.S.A., it brings together our dedicated sales managers with logistics experts in order to ensure that the right product mix arrives when and where it is needed. Our sales managers are supported by highly professional accountants, designers and brand protectors. Each member of ABRO's dedicated staff works together seamlessly to allow ABRO to compete, and win, against the biggest companies in the world.

Certainly, the most important part of ABRO is our world-wide team of dedicated and energetic distributors. Located throughout the world, ABRO distributors are independent entrepreneurs who have joined together to form one of the most powerful distribution systems in the industry. Not content, like many of our competitors, to only distribute in a few easy to access locations, ABRO reaches into over 185

countries and territories around the globe. Wherever there is a market to be served, you can be sure that ABRO has a partner working hard, day and night, to serve it.

ABRO distributors range from long established companies who hold a commanding position in their home countries, to new and energetic startups that consist of little more than a single person's dreams and determination. Each distributor carries with them the collective experience of the ABRO family; and each is entrusted to protect the reputation for reliability of the ABRO name. To this end, we make sure that each distributor receives exactly the type and amount of support they need in order to continue to grow ABRO into the successful brand it is today.

As ABRO enters into the last quarter of its first century of business, we recommit to protecting the values that brought us to this point. We pledge to expand our horizons to ensure that we continue to serve our partners and customers well. Not holding to the past, but not forgetting it either, ABRO prepares to reach even greater heights and to enrich its family of distributors even more.

Now, more than ever, ABRO is.... A TRUSTED NAME WORLDWIDE®



PRESIDENT'S AWARDS

ABRO received the E-Award in 1991 and the E-Star Award in 2005. The President's E-Star Award recognizes continued superior performance in increasing or promoting exports. Only recipients of the E-Award are eligible and the level of performance must exceed that for which the E-Award was given.





WEBSITE & VIDEOS Product Information available: www.abro.com



Scan this QR with your smartphone to link to ABRO product information videos. Don't have the app? Go to: scan.me/apps/scan/download/









AUTOMECHANIKA Frankfurt, Germany














38-40











Tapes

& Stretch Films





| Appearance Products | 6-11 | |
|------------------------------|--------|--|
| Spray Paints & Remover | 12-15 | |
| Emergency Products | 16-17 | |
| Radiator & Service Fluids | 18-20 | |
| Greases | 21 | |
| Cleaners & Degreasers | 22-23 | |
| Engine & Fuel Additives | 24-26 | |
| Cold Weather Products | 27 | |
| Service Products | 28-29 | |
| Lubricants & Motor Oils | 30-37 | |
| Tapes & Stretch Films | 38-40 | |
| Sealers & Threadlockers | 41 | |
| Repair Products | 42-44 | |
| PVC & CPVC Cements | 45 | |
| Gasket Makers & Sealants | 46-47 | |
| Repair Adhesives | 48-50 | |
| Batteries | 51 | |
| Air Fresheners | 52-53 | |
| Consumer & Household | 54-55 | |
| Specialty Products | 56 -57 | |
| Index | 58 | |



PREMIUM GOLD CAR WASH

Super Concentrated 4 x More Powerful

Concentrated Wash with Carnauba Wax Cuts Through Stubborn Dirt and Road Film Cleans, Shines and Protects Safe for All Finishes Including Clear Coats Contains No Harsh Detergents, No Abrasives

| PART NO. CW-990-16 | |
|--------------------|---------|
| 16 OZ./472mL | 12/CASE |
| | |
| PART NO. CW-990-32 | |
| 32 OZ./946mL | 12/CASE |
| | |
| PART NO. CW-990 | |
| | |









Safely Protects and Cleans

Instant Shine, No Rubbing

Prevents Fading, Cracking

and Aging of Leather

PART NO. LC-750

8 OZ./240mL





Long Lasting High Gloss Shine Restores and Protects Painted Surfaces, With PTFE Easy to Apply and Wipe Off

PART NO. LW-900





PREMIUM CARNAUBA LIQUID WAX

16 OZ./473mL 12/CASE

PREMIUM SCRATCH REMOVER

Safely Removes Surface Scratches and Swirl Marks Re-Shines Dull Paint Wipes Off Easily

PART NO. SR-800 8 OZ./240mL 12/CASE

PREMIUM LIQUID POLISH CHROME & METAL

Safely Removes Oxidation and Tarnish Non-Abrasive Shines and Protects Chrome, Metal,

Aluminum, Stainless Steel, Silver and Gold

PART NO. CP-880 8 OZ./240mL 12/CASE



16 OZ./473mL



ABRO Logo

12/CASE



CARNAUBA WASH-N-GLO®

Cleans and Shines in One Easy Step Safe for All Finishes Including Clear Coats Contains No Harsh Detergents, No Abrasives Non-USA Origin

PART NO. CW-927

17.3 OZ./510mL 12/CASE



Green, Blue NEW COLOR: Beige

WATERLESS WASH & WAX

Simply Spray-On and Wipe-Off Removes Road Grime, Tar and Tree Sap Safe for All Paints; Contains Carnauba Wax

PART NO. WW-606

17 OZ./482g 12/CASE



SILICONE CLEANER & CAR WAX

Liquid Silicone Bonds To and Protects Car's Finish

Removes Stubborn Tree Sap, Road Film, and More

Safe for Ceramic Tile and Chrome Fixtures

PART NO. SW-300

16 OZ./473mL 12/CASE



SUPER GOLD PASTE WAX

Non-Abrasive, Pre-Softened Carnauba Wax Safe and Effective on All Types of Finishes Strong, Stackable Lid Non-USA Origin

PART NO. PW-400

8.11 OZ./230g 12/CASE



CARNAUBA CAR WAX SUPER GOLD LIQUID

Wipes Off Easily Restores and Protects Perfect for All Painted Surfaces Non-USA Origin

PART NO. LW-811

16 OZ./473mL 12/CASE

Appearance Products



CLEAN ALL FOAM CLEANER LIME SCENT

Fresh Lime Scent

Deep Cleaning Foaming Action Lifts Out Dirt and Removes Stains from Upholstery, Vinyl and Carpeting

Includes Brush Cap

Non-USA Origin

PART NO. FC-650

12/CASE 650mL



CLEAN ALL FOAM CLEANER

Deep Cleaning Foaming Action Lifts Out Dirt and Removes Stains Cleans and Renews Upholstery, Vinyl and Carpeting

Perfect for Household or Automotive Use

PART NO. FC-577

22 OZ./623g 12/CASE



HEADLIGHT RESTORATION POLISH

Restores Optical Clarity Improves Visibility and Safety Eliminates Haze

PART NO. HR-237

8 FL. OZ./237mL 12/CASE



AUTO GLASS CLEANER

Cuts Through the Toughest Road Grime as Well as Hazy Build-Up on Interior Glass Contains No Ammonia; Safe on Tinted Windows

PART NO. GC-450

22 OZ./623g 12/CASE











SCENTED DASHBOARD POLISH

Contains Silicone; Repels Dust and Dirt Preserves the Natural Beauty and Luster of Vinyl, Leather and Rubber

Provides that Extra Detail and Leaves a Great Scent; Non-USA Origin

| DP-633-LI | LILAC |
|-------------|------------|
| DP-633-LE | LEMON |
| DP-633-ST | STRAWBERRY |
| DP-633-VA | VANILLA |
| 6 OZ./220mL | 24/CASE |
| 6 OZ./220mL | 24/C |

NEW - ADDITIONAL SCENTS *

| DP-633-PI | PINE |
|-------------|---------|
| DP-633-CL | CLASSIC |
| DP-633-RO | ROSE |
| DP-633-NC | NEW CAR |
| 6 OZ./220mL | 24/CASE |

*Additional scents are not available for mixed orders from warehouse and can only be shipped directly from factory.



JUMBO SPONGE

Extremely Durable, Super Sized Sponge Super Absorbent Very Resistant to Grease and Oil Ideal for Car, Home, etc. Non-USA Origin

PART NO. JS-300

21.5 x 11 x 6 cm

100/CASE



MICROFIBER DUSTER - SMALL

Convenient Compact Size
Cleans Car Interior & Home Without the
Use of Chemicals

Picks Up Dust Without Scratching Surfaces Non-USA Origin

PART NO. MD-300

72.5 x 12 cm with handle 100/CASE



CLEANING CLOTH

New Generation Microfiber Cloth Removes All Dirt Without Use of Chemicals Ultra Absorbent Texture, Lint Free Result Available Colors: Blue, Pink, Rose-Red, White, Yellow Non-USA Origin

PART NO. CT-210

40.5 x 40.5 cm 150/CASE



Super-Soft, Lint-Free Terry Microfiber Use Dry to Buff Paint or Wet to Wash Elastic Wristband Keeps Hand in Place Non-USA Origin

PART NO. MM-180

100 x Blue and 100 x Yellow

27 x 17 cm

* Not available for mixed orders from warehouse. Can only be shipped directly from factory.

200/CASE



MICROFIBER DUSTER PROFESSIONAL SIZE *

Scratch-Free; Use Dry for Dusting or Polishing; Use Wet for Exterior Car Wash Very Efficient Tool for Removing Dust from the Interior and Exterior of Car Comes with Storage Bag Non-USA Origin

PART NO. MD-420

BRUSH 72.5 x 12 cm with handle 24/CASE

* Not available for mixed orders from warehouse. Can only be shipped directly from factory.

MICROFIBER DUSTER ECONOMY SIZE *

Same Great Features as MD-420 Designed for Every Day Car Care and Household Use Comes with Storage Bag Non-USA Origin

PART NO. MD-360

BRUSH 65.5 x 9 cm with handle 30/CASE

* Not available for mixed orders from warehouse. Can only be shipped directly from factory.



MICROFIBER MITT - CHENILLE *

Super-Shaggy, Scratch-Free Microfiber Excellent for Extensive Dirt and Grime Elastic Wristband Keeps Hand in Place Non-USA Origin

PART NO. MM-280

24 x Blue and 24 x Green

20 x 28 cm

48/CASE

* Not available for mixed orders from warehouse. Can only be shipped directly from factory.



CHAMOIS CLOTH ECONOMY★

Economy Grade Chamois Available in Different Colors Absorbs Moisture Fast Lint-Free Non-USA Origin

| 12/CASE |
|---------|
| |
| 24/CASE |
| |

^{*} Not available for mixed orders from warehouse. Can only be shipped directly from factory.



CHAMOIS CLOTH

Absorbs Moisture Fast; Lint-Free Resists Most Chemicals Lasts for Years with Normal Use Non-USA Origin

| PART NO. CH-338 | |
|------------------------|---------|
| 17" x 27" (43 x 68 cm) | 12/CASE |
| PART NO. CH-330 | |
| 17" x 13" (43 x 32 cm) | 24/CASE |





CHAMOIS CLOTH NEW GENERATION

30% More Absorbent; Embossed Texture Anti-Bacterial Technology Protects Cloth Against Odors and Mildew Non-USA Origin

| PART NO. CH-555 | |
|------------------------|---------|
| 17" x 27" (43 x 68 cm) | 12/CASE |
| PART NO. CH-550 | |
| 17" x 13" (43 x 32 cm) | 24/CASE |
| | |



CLEARVIEW ANTI-FOG

Ends Interior Fogging, Misting and Steaming on Glass Mirrors and Some Plastics

Ideal for Home or Automotive Use

| PART NO. AF-190 | |
|-----------------|---------|
| 3.5 OZ./103mL | 12/CASE |



CLEARVIEW ANTI-RAIN

Coats Exterior Glass to Repel Rain, Sleet and Snow Improves Driving Visibility, Safety and Comfort

Great for Windshields, Windows and Patio Doors

| PART NO. AR-180 | |
|-----------------|---------|
| 3.5 OZ./103mL | 12/CASE |



PROTECT-ALL®

Reduces Weathering and UV Damage Beautifies and Protects Vinyl, Rubber and Leather

Convenient, Non-Aerosol Pump Spray

| PART NO. PA-510 | |
|-----------------|---------|
| 10 OZ./296mL | 12/CASE |



PROTECT-ALL® LEMON

Fresh Lemon Scent Reduces Weathering and UV Damage Beautifies and Protects Vinyl, Rubber and Leather

| PART NO. PA-512 | |
|-----------------|---------|
| 10 OZ./296mL | 12/CASE |
| PART NO. PA-312 | _ |
| 4 OZ./120mL | 12/CASE |
| | |



1-STEP WAX-N-DRY

Easy and Quick Way to Dry and Wax Car in One Easy Step

Provides Long Lasting Shine and Protection to Car Polish

Will Not Stain Plastic, Rubber or Glass

| PART NO. WD-473 | |
|-----------------|---------|
| 6 OZ./473mL | 12/CASE |



WHEEL CLEANER

Fast Acting, Super Strength Foam Spray Quickly Dissolves Road Tar, Brake Dust, Grease, Grime and Other Stubborn Dirt Safe For All Wheels

PART NO. WC-160

32 OZ./946mL 12/CASE

3. Allow the leather to dry

for at least an hour.

4. Apply and gently rub

in ABRO Leather Cream

Conditioner (LC-536) to

keep the leather supple.



SILICONIZED TIRE SHINE

Repels Dirt and Grime to Keep Tires Looking New Leaves a Protective Barrier That Will Not Crack or Discolor at Any Temperature

PART NO. TS-100

10.5 OZ./297g 12/CASE



FOAMING TIRE CLEANER

One-Step Formula Dissolves Road Grime with No Wiping or Rinsing Effective on Dry or Wet Tire Sidewalls Leaves a Rich, Satin Finish

PART NO. TC-800

21 OZ./595g 12/CASE



BLACK XTREME WET TIRE SHINE

Creates High-Gloss Wet Shine Preserves Rich Black Look Conditions and Prevents Drying and Cracking of Tires No Buffing or Streaking

PART NO. BX-999

23 OZ./680mL 12/CASE



Safely Cleans all Leather and Vinyl Surfaces in Car and Home Removes Dirt and Grime Quickly and Easily Unique pH Balanced Formula

PART NO. LC-472

16 OZ./472mL

Aging of Any Leather PART NO. LC-536

Leather and Vinyl

16 OZ./472mL 12/CASE

Contains Natural Sun Block for Protection

Prevents Fading, Cracking and Premature



BUG & TAR REMOVER

Penetrates and Dissolves Bug and Tar Residue, Road Film and Tree Sap Safe for All Automotive Finishes Including Chrome Bumpers and Trim

PART NO. BT-422

12 OZ./340a 12/CASE

12/CASE

Spray Paints & Remover



PROTECT & PEEL PEELABLE RUBBER COATING SPRAY PAINT

Coats and Protects Smooth, Professional Looking Finish Resists the Wear and Tear of Daily Driving (Rain, Snow, and UV Exposure) Ideal for Original Factory Painted Finishes, Aluminum, Metal, Chrome and Plastic on Entire Vehicle, Accents, Wheels, and More Advanced Technology for Optimal Peel

PART NO. PR-555

12/CASE 11 OZ./312g

SPRAY PAINT DESIGNED SPECIALLY FOR PLASTIC

Revolutionary No-Prep, Super Bond Paint for Plastic **Makes Painting Plastic and PVC Possible**

ABRO

Hastic



11 GLOSS BLACK



13 SATIN BLACK



16 GLOSS WHITE



49 HUNTER GREEN



74 RED PEPPER



ABRO

Plasti

ABRO

Scan this QR with your smartphone to link to ABRO Plastic SPRAY PAINT video. Don't have the app? Go to: scan.me/apps/scan/download/

PLASTIC SPRAY PAINT

No Sanding or Priming Required Bonds Easily to Most Plastics, PVC, Resin and More

Fast Dry; Fully Chip Resistant After 7 Days

Dry to Touch: 15 Minutes Dry to Handle: 1 Hour

PART NO. SPP-011 ... SPP-074

8 OZ./226g 6/CASE



ABRO ABRO RUST ENAME

ANTI-RUST ENAMEL PREMIUM SPRAY PAINT

Prevents Rust Premium Quality Enamel Durable, Smooth Finish For Indoor and Outdoor Use Use on Metal, Air Vents, Signs, Wood, Furniture, etc.







08 GRAY PRIMER





10 RED PRIMER 12 FLAT BLACK

16 GLOSS WHITE

PART NO. RE-008 ... RE-016 10 OZ./284a 12/CASE



PAINT REMOVER

Quickly Strips Paint, Varnish and Epoxy Penetrates and Softens in One Application Lifts and Removes Graffiti, Decals and Other Markings

| PART NO. PR-600 | |
|-----------------|---------|
| 10 OZ./283g | 12/CASE |



ABRO HIGH QUALITY SPRAY PAINTS

CHROME PLATE

18 KT. GOLD

Synthetic Enamel for Durability and Performance • High Quality, Fast Drying for Interior/Exterior Use

SEE COMPLETE SELECTION OF COLORS IN CHART BELOW.



YELLOW



PREMIUM 18 KT. GOLD SPRAY PAINT

Sparkling Gold-Like Finish is Ideal for Crafts and Home Decorating Projects Use on Wood, Metal, Plastic and Ceramics

| PART NO. SP-318 |
|-----------------|
| 0.07/227~ |

8 OZ./227g

12/CASE

PREMIUM CHROME PLATE SPRAY PAINT

Gives the Appearance of "Real" Chrome Dries Fast for Easy Touch-Ups on Bumpers, Furniture, Bikes, Wheels and Wheel Covers

| DADE | NIO | 00.045 |
|------|-----|--------|
| PART | NO. | SP-317 |
| | | |

8 OZ./227g

12/CASE

actual product.

DECORATIVE SPRAY PAINT

CRACKLE PREMIUM LACQUER SPRAY PAINT **BASE COAT PART 1**

Creates Antique Look on Wood, Metal, Plaster, Unglazed Ceramic & More

Part 1 of 2 Part Process

8 OZ./227g

6/CASE



DP- BC-100 BL **BLACK**



WHITE



DP- BC-100 GO GOLD



DP-TC-200 WH WHITE



DP-TC-200 AL ALMOND



DP-TC-200 RB RED BRICK



DP-TC-200 BL BLACK

CRACKLE PREMIUM LACQUER SPRAY PAINT **TOP COAT PART 2**

Creates Antique Look on Wood, Metal, Plaster, Unglazed Ceramic & More

Part 2 of 2 Part Process

8 OZ./227g



6/CASE

Scan this QR with your smartphone to link to ABRO CRACKLE PAINT information video.

Don't have the app? Go to:

scan.me/apps/scan/download/

SPRAY-ON CRACKLE FINISH LETS YOU CREATE AN ANTIQUE, WEATHERED, CRACKLED WOOD EFFECT.



DP- BC-100 GO DP- BC-100 BL GOLD BLACK







3. APPLY TOP COAT

DECORATIVE SPRAY PAINT



DP-ST-300 CR CREAM



DP-ST-300 WH WHITE



DP-ST-300 SA SAND



DP-ST-300 GR GRANITE



STONE PREMIUM

TEXTURED SPRAY PAINT

CREATE THE LOOK AND FEEL OF REAL STONE

Creates Stone Texture on Wood, Metal, Plaster, Unglazed Ceramic & More

8 OZ./227g 6/CASE





DP-ST-300 CS CLEAR SEALER



Scan this QR with your smartphone to link to ABRO STONE PAINT information video.

Don't have the app? Go to:

scan.me/apps/scan/download/

STONE PREMIUM CLEAR SEALER

SEALS AND PROTECTS STONE FOR EXTERIOR USE

Seals and Protects on Wood, Metal, Plaster, Unglazed Ceramic & More

8 OZ./227g

6/CASE

Emergency Products







ABC FIRE EXTINGUISHER[★]

Multi-Purpose Dry Chemical Powder Fire Extinguisher Non-Toxic and Environmentally Friendly

Highly Effective and Perfect for Home, Car, Boat or Caravan Non-USA Origin Each ABRO FE-112 and FE-114 Individually Packaged in a Display Carton Convenient Fluorescent Mounting Clip Included

* Currently not available for mixed orders from warehouse. Ships directly from factory.

 PART NO. FE-112

 1 KG
 8/CASE

 PART NO. FE-114

 2 KG
 6/CASE

 PART NO. FE-116

 4 KG
 2/CASE

| PART NO. FE-118 | |
|-----------------|--------|
| 6 KG | 2/CASE |
| PART NO. FE-120 | |
| 10 KG | 2/CASE |











Ideal for Minor Fires in Home, Auto and Marine Use

Non-Toxic, Environmentally Safe Ozone Friendly

Convenient Mounting Clip Included Non-USA Origin

| PART NO. | FE-911 |
|----------|--------|
|----------|--------|

400mL 12/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.

FIRE EXTINGUISHER

Ideal for Home, Auto and Marine Use Non-Toxic, Environmentally Safe Convenient Fluorescent Mounting Clip Included Non-USA Origin

| PART NO. FE-935 | |
|-----------------|--------|
| 400ml | 24/CAS |

QUICK FIX TIRE INFLATOR

Inflates Most Flat Tires Within One Minute Conveniently Sized With Easy-to-Use Hose **Applicator**

Eliminates the Need for Tools and Tire Changing

| PART NO. QF-25 | _ |
|----------------|---------|
| 12 OZ./340g | 12/CASE |
| PART NO. QF-35 | |
| 15 OZ./425g | 12/CASE |

TIRE SEALANT*

- Automatically Repairs Tire Punctures (up to 6.8mm) over 50 Times for up to 18
- · Contains Special Chemicals Which Can Prevent Further Tire Blow-outs or Bursting by over 80%.
- · Will Not Cause Adhesion Between Tire and Inner Tube.
- · Will Not Corrode Tire or Rust Steel Rims
- Performs Well in Temperatures Between -2°C to 90°C
- · Non-Toxic, Non-Flammable, Non-Volatile Non-USA Origin

RECOMMENDED QUANTITY FOR ONE TIRE:

| 130-250ML | BICYCLES |
|------------|-------------------|
| 350-500ML | MOTORCYCLES |
| 500-700ML | SEDAN CARS |
| 800-1000ML | SUV & MEDIUM CARS |

* Currently not available for mixed orders from warehouse. Ships directly from factory.



PART NO. TS-1000-R


1000mL 12/CASE



PART NO. TS-600-R

600mL 20/CASE







PART NO. TS-130-R 130mL 50/CASE



RADIATOR RUST INHIBITOR

Superior Corrosion and Rust Inhibitor Protects Radiator Tube Surfaces Such as Tin, Nickel, Zinc and Other Coated Steel Cores

Works Well in Hot and Cold Weather

PART NO. RI-707

12/CASE 11 OZ /325mL



RADIATOR COOLANT GREEN

Replenishes and Conditions Old Anti-Freeze

Fortified Inhibitors Guard Against Rust and Scale

Helps Prevent Overheating

PART NO. EC-500

15 OZ./443mL 24/CASE



RADIATOR COOLANT RED

Replenishes and Conditions Old Anti-Freeze

Fortified Inhibitors Guard Against Rust and Scale

Helps Prevent Overheating

PART NO. EC-600

15 OZ./443mL 24/CASE



RADIATOR COOLANT GREEN

Replenishes and Conditions Old Anti-Freeze

Fortified Inhibitors Guard Against Rust and Scale

Helps Prevent Overheating

PART NO. EC-501

1 GAL./3.785L 6/CASE



Premium Low Silicate Formula for Today's Import Cars

Helps Maintain Stable Operating Temperature

| PART NO. EC-502-16 | |
|--------------------|---------|
| 16 OZ. | 24/CASE |
| PART NO. EC-502-32 | |
| 32 OZ. | 12/CASE |
| PART NO. EC-502 | _ |
| 1 GAL./3.785L | 6/CASE |

PART NO. EC-502-2L*

6/CASE

* 2 Liter currently not available for mixed orders from warehouse. Ships from factory.



LONG LIFE COOLANT TROPICAL FORMULA RED*

Ready Use Hybrid Organic Acid Technology (HOAT) Long Life Formula

Allows for Life of Up to 5 Years or 150,000 Miles of Protection

Meets Protection Requirements for Europe and Asia

PART NO. LL-TF-OAT-RED-1L

* Currently not available for mixed orders from warehouse. Ships directly from factory.





Specially Designed for the Protection of Your Car's Cooling System Protects Water Pump Against Impurities Prevents Rust and Corrosion

* 2 Liter currently not available for mixed orders from warehouse. Ships from factory.

| PART NO. EC-503-16 | |
|---------------------|---------|
| 16 OZ. | 24/CASE |
| PART NO. EC-503-32 | |
| 32 OZ . | 12/CASE |
| PART NO. EC-503 | |
| 1 GAL./3.785L | 6/CASE |
| PART NO. EC-503-2L* | |
| 2L | 6/CASE |



LONG LIFE COOLANT FULL STRENGTH RED*

Hybrid Organic Acid Technology (HOAT) Long Life Formula

Allows for Life of Up to 5 Years or 150,000 Miles of Protection

Meets Protection Requirements for Europe and Asia

PART NO. LF-AF-OAT-RED-500ML 16 OZ. 24/CASE

PART NO. LF-AF-OAT-RED-1L 32 OZ. /1L 12/CASE

PART NO.LF-AF-OAT-RED-GAL

1 GAL./3.785L 6/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.



100% ANTI-FREEZE

Full-Strength, Ethylene Glycol Formula Protects Against Freezing and Overheating Safe for All Types of Metal & Aluminum

| PART NO. AF-504-1L | |
|--------------------|---------|
| 1L | 12/CASE |
| PART NO. AF-505-GL | |
| 1 GAL./3.785L | 6/CASE |



TROPICAL FORMULA ENGINE COOLANT DARK GREEN

Contains Increased Anti-Boil Characteristics Protects Water Pump Against Impurities Prevents Rust and Corrosion

| PART NO. EC-554 | |
|---------------------|---------|
| 32 OZ. | 12/CASE |
| PART NO. EC-554-GAL | |
| 1 GAL./3.785L | 6/CASE |

Radiator & Service Fluids



WINDSHIELD WASHER READY TO USE FORMULA

Pre-Mixed Ready to Use Formula Cleans Streak Free Removes Bugs and Tar Will Not Harm Car Finishes

PART NO. WW-456

1 GAL./3.785L 6/CASE

Mixing Chart No Mixing Required Ready to Use Fluid



WINDSHIELD WASHER CONCENTRATE

Powerful Concentrate 1 GAL Concentrate Makes 5 GAL Windshield Washer Fluid Cleans Streak Free Removes Bugs and Tar Will Not Harm Car Finishes

PART NO. WW-556

1 GAL./3.785L 6/CASE

Mixing Chart

| Normal Conditions: | | |
|--------------------|---------|---------------------|
| Solvent | Water | Windshield Washer |
| 1 Liter | 4 Liter | = 5 Liter Ready Use |
| 1 GAL | 4 GAL | = 5 GAL Ready Use |
| | | |



WINDSHIELD WASHER **CLEANER & ANTI-FREEZE** CONCENTRATE

Use as Cleaner and Anti-Freeze Fluid has Anti-Freezing Properties up to -25°F (-31.5°C)

PART NO. WW-516

16 OZ./473mL 24/CASE

| wixing Chart | | |
|------------------------|----------------------|----------------------|
| 1 OZ (30mL) Solvent | 1Quart (1L) Water | Freeze Protection |
| 1 Part Solvent | 1 Part Water | -18°F (-25°C) |
| 1 Part Solvent | 2 Part Water | +5°F (-15°C) |
| 1 Part Solvent | 3 Part Water | +14°F (-10°C) |
| 1 Part Solvent | 4 Part Water | +20°F (-5°C) |



WINDSHIELD WASHER TABLETS

Triples cleaning power. Completely removes bugs, road film, dirt and grime. 1 Tablet Makes 1 GAL (3.785 L) of Cleaner Removes Bugs and Tar Safe for Rubber and Paint This is a GREEN Product. It is Non-Toxic and Biodegradable.

PART NO. WW-500

5 x 1 Tablet for 5 GAL/18.925L 12/CASE

Mixing Chart

Normal Conditions:

Add 1 Tablet to 1 GAL (3.758L) Water or Drop in Reservoir of Clean Water

Winter Conditions:

Anti-freeze Type Windshield Solvents are Poor Cleaners. For Triple Cleaning Power with any Anti-Freeze Windshield Solvent, add 1 Windshield Washer Tablet







Contains Extreme Pressure Additives for Severe Operating Conditions Excellent Performance in Temperature Extremes

| 25/CASE |
|---------|
| |
| 12/CASE |
| |



#2 HEAVY-DUTY LITHIUM GREASE Lubricates Chassis Points, Wheel Bearings,

and Ball Joints Reduces Friction and Premature Wear Protects Against Rust and Corrosion

| PART NO. LG-857 | |
|-----------------|---------|
| 16 OZ./454g | 12/CASE |



MULTI-PURPOSE GREASE

Provides Excellent Lubrication for Automotive, Industrial, Agricultural and Household Applications

| PART NO. MG-800-10 | |
|--------------------|---------|
| 14 OZ./397g | 10/CASE |



WHITE LITHIUM GREASE

Lubricates All Metal Surfaces
Protects Against Rust and Corrosion
Will Not Freeze, Melt or Wash Off

| PART NO. LG-380 | |
|-----------------|---------|
| 10 OZ./284g | 12/CASE |



CV JOINT GREASE

Formulated to Extend Life of Metal Components and Elastomeric Seals in Constant Velocity Joints Meets OEM Specifications

| PART NO. CV-503 | |
|-----------------|---------|
| 3 OZ./85g | 12/CASE |



#2 SUPER BLUE LITHIUM GREASE

Delivers Longer Lasting Performance and Protection

Suitable for Damp Conditions and Marine Applications

| PART NO. LG-935 | |
|-----------------|---------|
| 16 OZ./454g | 12/CASE |



#3 SYNTHETIC LITHIUM GREASE

Water Resistant Heavy Duty, Multi-Purpose Grease for Automotive and Marine Use Offers Maximum Protection for Wheel Bearings, Suspension Systems, Universal Joints, Steering Linkages and Chassis

| PART NO. LG-990 | |
|-----------------|---------|
| 16 OZ./454g | 12/CASE |



#3 SUPER HEAVY-DUTY GREASE

Sodium Based, Multi-Purpose, Fibrous Lubricant Recommended for Severe Service Conditions

Water and Rust Resistant

PART NO. GR-30316 OZ./454g 12/CASE



CARB & CHOKE CLEANER

Frees Sticking Manual or Automatic Chokes Dissolves Harmful Fuel System Deposits Eliminates Hard Starts, Rough Idling, and Stalling

PART NO. CC-200

10 OZ./283g 12/CASE



CARB & CHOKE CLEANER 20% MORE

Frees Sticking Manual or Automatic Chokes Dissolves Harmful Fuel System Deposits Eliminates Hard Starts, Rough Idling, and Stalling

PART NO. CC-220

12 OZ./340g 12/CASE



FOAMING CARBURETOR TUNE-UP & CONDITIONER

Foaming Formula Effectively Removes Gum, Carbon, and Other Harmful/Excessive Deposits Frees Sticky Valves and Sluggish Compression Rings

PART NO. CC-300

10 OZ./283g 12/CASE



BRAKE & BRAKE PARTS CLEANER

Non-Chlorinated Formula Safely Cleans and Degreases Brakes, CV Joints and Clutch Components Without Disassembling Dries Fast, Leaves No Residue

PART NO. BC-750

14 OZ./397g 12/CASE



SUPER HEAVY DUTY INDUSTRIAL STRENGTH ENGINE DEGREASER

Strongest Formula Available

Cleans and Degreases Gasoline and Diesel Engines, Outboard Motors and All Other Heavily Soiled Engines and Machinery

PART NO. DG-400

16 OZ./454g 12/CASE



HEAVY DUTY ENGINE DEGREASER

Penetrates and Emulsifies with a Powerful Blend of Solvents and Grease Cutters Also Cleans Marine Engines, Industrial Machinery, etc.

PART NO. DG-200

16 OZ./453g 12/CAS



FOAMING ENGINE DEGREASER

Spray On and Rinse Off With Water Effectively Dissolves Grease and Grime in 5 Minutes

Safe on Most Underhood Rubber and Plastic

PART NO. DG-300

18 OZ./510g 12/CASE



BRAKE & BRAKE PARTS CLEANER

Formulated to Clean and Degrease Brakes, CV Joints, and Clutch Components Without Disassembling Dries Fast, Leaves No Residue

PART NO. BC-780

18 OZ./510g 12/CASE





BATTERY TERMINAL PROTECTOR

Provides a Protective Barrier to Inhibit Corrosion of Battery Terminals and Cable Connectors

Prevents Hard Starts

HEAVY DUTY POWER DEGREASER

Concentrated Deep Penetrating Formula Multi-Purpose Industrial Cleaner and Degreaser for Car, Home and Industry

| PART NO. PD-320 | |
|-----------------|---------|
| 32 OZ./946mL | 12/CASE |
| PART NO. PD-620 | |
| 1 GAL./3.785L | 6/CASE |

23


PART NO. BC-575 5 OZ./142g 12/CASE

Prevents Damage to Cables and Terminals

| PART NO. BP-675 | |
|-----------------|---------|
| 5 OZ./142g | 12/CASE |



GASKET REMOVER



Engine & Fuel Additives









ENGINE OIL STOP LEAK

Helps Stop Minor Leaks in Main Bearing Seals, Pan, and Valve Cover Gaskets Helps Prevent Costly Repairs

FUEL INJECTOR CLEANER

Eliminates Poor Engine Response and Hesitation Dissolves Gum, Varnish and Carbon Deposits Helps Remove Water from Gas Fuel Tank

DIESEL INJECTOR CLEANER

Stops Diesel Engine Hesitation Helps Remove Water from Diesel Fuel Tank Improves Mileage; Dissolves Gum and Deposits

GASOLINE TREATMENT

Helps Clean Carburetors and Intake Manifold Ports Guards Against Gas Tank and Fuel Line Rust Improves Fuel Economy

PART NO. EO-414

12 OZ./354mL

12/CASE

PART NO. IC-509

12 OZ./354mL 12/CASE

PART NO. DI-502

12 OZ./354mL 12/CASE

PART NO. GT-507

12 OZ./354mL 12/CASE





OCTANE BOOSTER

Boosts Gasoline Octane Levels Stops Pinging, Knocking, and Engine Run-On

PART NO. OB-506

12 OZ./354mL



DIESEL FUEL TREATMENT

Conditions Fuel, Enhances Combustion Improves Cold Weather Starts Extends Fuel Filter Life

PART NO. DT-508

12/CASE

12 OZ./354mL 12/CASE



SMOKE STOP®

Keeps Engines Running Longer and Better Helps Stop Exhaust Smoking and Crankcase Gases Increases Oil Viscosity for Better Compression

PART NO. SS-510

12 OZ./354mL 12/CASE



DIESEL INJECTOR CLEANER

Large Size for Heavy Duty Trucks Stops Diesel Engine Hesitation Helps Remove Water from Diesel Fuel Tank Improves Mileage; Dissolves Gum and Deposits

PART NO. DI-532

32 OZ./946mL 12/CASE



HIGH MILEAGE FUEL INJECTOR CLEANER

Specially Designed for Cars With More Than 115,000 km (71,000 mi)

Restores Fuel Economy and Lost Power by Keeping Fuel Injectors Clean

Lowers Emissions by Removing Harmful Deposits

PART NO. IC-599-6-R

5.25 FL OZ/155mL 12/CASE



WATER REMOVER FUEL DRYER

Conserves Gas by Keeping Fuel Intake System Clean

Treats Up to 21 GAL or 80L of Fuel Formula Can Be Used During Any Season

PART NO. WR-503-6-R

12/CASE 5.25 FL OZ/155mL



GAS BOOSTER

Conserves Gas by Keeping Fuel Intake System Clean

Treats Up to 21 GAL or 80L of Fuel Significantly Improves Gas Quality

PART NO. GT-507-6-R

5.25 FL OZ/155mL 12/CASE



FUEL INJECTOR CLEANER

Conserves Fuel by Keeping Fuel Injectors Clean

Super Concentrated Formula Treats Up to 21 GAL or 80L of Fuel

Restores Lost Power and Acceleration and Helps Eliminate Tough Starts

PART NO. IC-509-6-R

5.25 FL OZ/155mL 12/CASE



MOTOR FLUSH

Add to Crankcase Before Regular Oil Change to Remove Sludge and Deposits in Only 3 Minutes

Frees Sticky Valves, Lifters and Piston Rings

| PART NO. MF-391 | |
|-----------------|---------|
| 30 OZ./887mL | 12/CASE |
| PART NO. MF-390 | |
| 15 OZ./443mL | 24/CASE |



PLATINUM PREMIUM OIL TREATMENT

High Viscosity Formula Provides Extra Protection Between Moving Engine Parts

Reducing Friction and Wear Excellent for all cars, light trucks and SUV's.

Blends With All Oils Including Synthetics

PART NO. OT-61115 OZ./444mL 6/CASE



PREMIUM OIL TREATMENT

Provides Extra Protection by Reducing Friction and Wear

Concentrated to Silence Noisy Valves and Lifters

Blends With All Oils Including Synthetics

PART NO. OT-511

15 OZ./443mL 24/CASE



OIL TREATMENT

Reduces Friction, Extends Engine Life Helps Stop Oil Foaming for Better Lubrication

Protects Against Motor Oil Breakdown

PART NO. AB-500 15 OZ./443mL

24/CASE



ABRO LUBE® ENGINE TREATMENT

Fortified with PTFE to Reduce Start-Up Wear

Provides Maximum Protection Up to 50,000 Miles

For Gasoline and Diesel Engines

PART NO. AL-629

1 QT./946mL 6/CASE



ABRO SMOOTH 100 PREMIUM ENGINE TREATMENT

Premium Formula for Best Available Protection of High Mileage Vehicles Enhances Fuel Economy For Gasoline Engines

PART NO. SM-100

15 OZ./444mL 6/CASE



FUEL SYSTEM CLEANER

Helps Restore Original Power to Entire Fuel System

Safe for Catalytic Convertors and Oxygen Sensors

Easy-Pour Bottle Treats Up to 20 Gallons

PART NO. FS-900

16 OZ./473mL 12/CASE



DIESEL SYSTEM CLEANER

Increases Diesel Fuel Economy Helps Restore to Maximum Power Reduces Black Smoke Emissions and Exhaust, HC and CO

Easy-Pour Bottle Treats 15-18 Gallons

PART NO. DS-900

16 OZ./473mL 12/CASE



DIESEL FUEL ANTI-GEL TREATMENT

Super Concentrated; Disperses Water No Added Alcohols

Prevents Fuel Line Freezing in Cold Weather



| PART NO. DA-946 | |
|-----------------|---------|
| 32 OZ./946mL | 12/CASE |
| PART NO. DA-650 | |
| 12 OZ./354mL | 12/CASE |



LOCK DE-ICER

Thaws and Releases Frozen Locks Fast Automatic Push-In Injection Prevents Freezing and Rusting

| PART NO. LD-111 | |
|-----------------|---------|
| .625 OZ./18g | 12/CASE |



STARTING FLUID

Ensures Faster and Easier Cold Weather Starts Minimizes Wear on Batteries Suitable for 2 or 4-Cycle Engines

| PART NO. SF-650 | |
|-----------------|---------|
| 11 OZ./312g | 12/CASE |



WINDSHIELD DE-ICER

Removes Frost and Ice on Contact Ideal for Wiper Blades, Headlights and Mirrors

Harmless to Car's Finish

PART NO. WD-400

11.5 OZ./326g 12/CASE



ICE REMOVER★

Removes Frost and Ice on Contact Includes Durable Scraper Cap Harmless to Car's Finish Non-USA Origin

PART NO. WD-300-AM-R

400mL 12/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.





ICE & SNOW REMOVAL TOOLS*

Easily Push Heavy, Wet Snow off the Roof, Hood and Trunk of Vehicle with ABRO Snow Brooms, Shovels and Ice Scrapers

High-Impact Plastic Faceplate is Recessed to Prevent Scratching Non-Abrasive, Freeze Resistant

Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



AND CLEAN





A/C DEODORIZER

FOR CAR INTERIOR

Efficiently Removes Interior and A/C Odors Easily Cleans A/C Units and Leaves a Long Lasting, Fresh Lemon Scent

AIR CLEAN AIR FRESHENER & HYGIENE AID

FOR AIR CONDITIONER UNIT

Cleans Away Mold, Mildew, and Fungi Fast Application: Spray Directly Inside Air Conditioner Vent; Biodegradable For Use in Car and Home

RADIATOR FLUSH

Quickly Removes Rust, Sludge, Scum and Scale Helps Prevent Overheating Harmless to System Metal and Rubber Parts

LIQUID HEAVY DUTY STOP LEAK

Fast-Acting, Permanent Seal for Cooling System Leaks Contains Effective Water Pump Lubricants and Rust Inhibitors

PART NO. AC-050

5 OZ./142g 12/CASE

PART NO. AC-100

9 OZ./255g 12/CASE

PART NO. AB-505

12 OZ./354mL 24/CASE

PART NO. SL-624

11 OZ./325mL 24/CASE





AUTOMATIC TRANSMISSION CONDITIONER

Fortifies and Replenishes Automatic Transmission Fluid Improves Noticeably Slow and/or Noisy

Protects Seals and O-Rings

PART NO. AC-999

Shifting

12 OZ./354mL 12/CASE



PREMIUM POWER STEERING FLUID

Keeps System Operating Smoothly and Quietly Reduces Wear and Slippage

Non-Foaming, Non-Corrosive

PART NO. PS-700

12 OZ./354mL 12/CASE



POWER STEERING FLUID

Keeps System Operating Smoothly and Quietly

Reduces Wear and Slippage Non-Foaming, Non-Corrosive Economy Grade

PART NO. PS-640

12 OZ./354mL 12/CASE
PART NO. PS-950-QT
1QT/946mL 12/CASE



POWDER STOP LEAK

Plugs Pinhole Size Radiator Leaks and Prevents Seepage Simple Pour-In Application

Simple i our-in Application

Attractive Point-of-Purchase Packaging

PART NO. AB-404

.75 OZ./20g 12 Cartons x 24 Tubes/CASE

Service Products



CHAIN LUBE

Reduces Friction and Prevents Corrosion Quiets Noise, Prevents Oxidation Can be Applied to Chain or Wire Cable Safe for O-Ring and Standard Chains

PART NO. CL-100

4 OZ./113g 12/CASE



BELT DRESSING & CONDITIONER

Penetrates and Conditions All Types of Belts

Perfect for Belts Made of Rubber, Leather or Fabric

PART NO. BD-100

| 6 OZ./170g | 12/CASE |
|------------|---------|
| | |



AB-80 SPRAY LUBRICANT

Penetrates to "Bust" Parts Frozen by Rust and Corrosion

Lubricates Hinges, Locks, Caster Wheels and More

| PART NO. AB-80-210-R | |
|----------------------|---------|
| 210mL | 12/CASE |
| PART NO. AB-80 | |
| 10 OZ./283a | 12/CASE |



PLATINUM AB-800 SPRAY LUBRICANT

Premium Formula Lubricates and Penetrates Protects Against Rust Displaces Water, and More

| PART NO. AB-800-5R-P | |
|------------------------|---------|
| 210mL | 12/CASE |
| PART NO. AB-800-10R-P* | |
| 400mL | 12/CASE |

* 400ml size comes with attached Straw Spray system!



DOT 3 BRAKE FLUID

Mixes with All DOT 3 Brake Fluids For Disc and Drum Brake Applications

| PART NO. BF-99-P250 | A (AMBER) |
|-----------------------------|-----------|
| 8.4 OZ./250mL | 24/CASE |
| PART NO. BF-99-P12A (AMBER) | |
| 12 OZ./354mL | 24/CASE |
| PART NO. BF-99-P16A | A (AMBER) |
| 16 OZ./485mL | 24/CASE |



DOT 4 BRAKE FLUID

Compatible with All DOT 3 and DOT 4 Fluids Recommended for All ABS, Disc, and Drum Braking Systems inc. Hydraulic Clutches Meets/Exceeds SAE J1703 & FMVS #116

| PART NO. BF-99-4-16 | |
|-----------------------|---------|
| 16 OZ./485mL | 24/CASE |
| PART NO. BF-99-4-P250 | |
| 8 4 O7 /250ml | 24/CASE |



DOT 3 BRAKE FLUID *

Mixes with All DOT 3 Brake Fluids For Disc and Drum Brake Applications Metal Cans; Non-USA Origin

| 24/CASE |
|---------|
| |
| |
| 24/CASE |
| |
| 24/CASE |
| |

* Currently not available for mixed orders from warehouse. Ships directly from factory.



GEAR OIL TREATMENT

Fortified with Friction Reducing PTFE for Manual Transmissions, Differentials, and Gear Boxes

Minimizes Gear and Bearing Noise

| PART NO. GT-409 | |
|-----------------|---------|
| 7 OZ./207mL | 12/CASE |

ABROPREMIUM AMERICAN LUBRICANTS



Passenger Cars

We have specially formulated ABRO Motor Oils to fight friction better than ordinary oils, while also withstanding the higher revs and temperatures of high-performance engines. So you can unleash all the power of your engine, without worrying about its oil failing on you.

Synthetic and Semi-Synthetic Motor Oils

Providing high quality engine protection under all driving conditions that are specifically formulated to provide extra protection against the harmful effects of city driving, where cars undergo a higher stress due to constant stopping and going.

Our low friction formula helps improve gas mileage for long engine life and helps protect against rust, corrosion, start-up wear, varnish build-up, and eliminates the need for extra oil additives. It also protects against thermal breakdown which helps prevent stuck rings.

Synthetic Motor Oils available in: 0W20,5W20, 5W30, 10W30 - SN GF5 0W40, 5W40, 10W40, 20W50 SN

Semi-Synthetic Motor Oils available in: 5W20, 5W30— SN GF5 20W50 SN 5W30, 10W30, 10W40, 20W50 — SM

- Protects engines under all driving conditions
- Lowers friction and improves gas mileage
- Provides longer engine life
- Protects against rust, corrosion and varnish
- Resists thermal breakdown

Multi-Grade Motor Oils

Providing high quality engine protection under all driving conditions that are specifically formulated to provide extra protection against the harmful effects of city driving, where cars undergo a higher stress due to constant stopping and going.

Our low friction formula helps improve gas mileage for long engine life and helps protect against rust, corrosion, start-up wear, varnish bulid-up, and eliminates the need for extra oil additives. It also protects against thermal breakdown which helps prevent stuck rings.

Available in: 10W30, 10W40, 20W50 SN

- Protects engines under all driving conditions
- · Lowers friction and improves gas mileage
- Provides longer engine life
- · Protects against rust, corrosion and varnish
- · Resists thermal breakdown

Economy Grade Motor Oils

Blended from selected premium base oils that are designed to provide good wear protection and resistance to oxidation, rust and foaming.

Available in: SAE 10, 20, 30, 40 and 50

- Premium wear protection
- Superior oxidation resistance
- Excellent rust and corrosion protection
- · Great foam control



30

Passenger Cars

Synthetic Motor Oil

| 0W20 SN/GF-5 | |
|------------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-0-20-SN-GF5-QT | 12 x 1 Quart Case |
| MO-FS-0-20-SN-GF5-GL | 4 x 1 Gallon Case |
| MO-FS-0-20-SN-GF5-5GP | 1 x 5 Gallon Pail |
| MO-FS-0-20-SN-GF5-55GL | 1 x 55 Gallon Drum |
| MO-FS-0-20-SN-GF5-1L | 12 x 1 Liter Case |
| MO-FS-0-20-SN-GF5-4L | 4 x 4 Liter Case |
| M0-FS-0-20-SN-GF5-5L | 4 x 5 Liter Case |
| 5W20 SN/GE_5 | |

| 5WZU 5N/6F-5 | |
|------------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-5-20-SN-GF5-QT | 12 x 1 Quart Case |
| MO-FS-5-20-SN-GF5-GL | 4 x 1 Gallon Case |
| MO-FS-5-20-SN-GF5-5GP | 1 x 5 Gallon Pail |
| MO-FS-5-20-SN-GF5-55GL | 1 x 55 Gallon Drum |
| M0-FS-5-20-SN-GF5-1L | 12 x 1 Liter Case |
| M0-FS-5-20-SN-GF5-4L | 4 x 4 Liter Case |
| M0-FS-5-20-SN-GF5-5L | 4 x 5 Liter Case |

| 5W30 SN/GF-5 | | PART NO. |
|------------------------|--------------------|-----------|
| PART NO. | PACKAGING | M0-FS-10- |
| MO-FS-5-30-SN-GF5-QT | 12 x 1 Quart Case | M0-FS-10- |
| MO-FS-5-30-SN-GF5-GL | 4 x 1 Gallon Case | M0-FS-10- |
| MO-FS-5-30-SN-GF5-5GP | 1 x 5 Gallon Pail | M0-FS-10- |
| MO-FS-5-30-SN-GF5-55GL | 1 x 55 Gallon Drum | M0-FS-10- |
| MO-FS-5-30-SN-GF5-1L | 12 x 1 Liter Case | M0-FS-10- |
| MO-FS-5-30-SN-GF5-4L | 4 x 4 Liter Case | M0-FS-10- |
| MO-FS-5-30-SN-GF5-5L | 4 x 5 Liter Case | |
| | | 20W50 CN |

| 10W30 SN/GF-5 | |
|-------------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-10-30-SN-GF5-QT | 12 x 1 Quart Case |
| MO-FS-10-30-SN-GF5-GL | 4 x 1 Gallon Case |
| MO-FS-10-30-SN-GF5-5GP | 1 x 5 Gallon Pail |
| MO-FS-10-30-SN-GF5-55GL | 1 x 55 Gallon Drum |
| MO-FS-10-30-SN-GF5-1L | 12 x 1 Liter Case |
| MO-FS-10-30-SN-GF5-4L | 4 x 4 Liter Case |
| MO-FS-10-30-SN-GF5-5L | 4 x 5 Liter Case |

| 0W40 SN | |
|--|---|
| PART NO. | PACKAGING |
| MO-FS-0-40-SN-QT | 12 x 1 Quart Case |
| MO-FS-0-40-SN-GL | 4 x 1 Gallon Case |
| MO-FS-0-40-SN-5GP | 1 x 5 Gallon Pail |
| MO-FS-0-40-SN-55GL | 1 x 55 Gallon Drum |
| MO-FS-0-40-SN-1L | 12 x 1 Liter Case |
| MO-FS-0-40-SN-4L | 4 x 4 Liter Case |
| MO-FS-0-40-SN-5L | 4 x 5 Liter Case |
| M0-FS-0-40-SN-55GL M0-FS-0-40-SN-1L M0-FS-0-40-SN-4L | 1 x 55 Gallon Drum 12 x 1 Liter Case 4 x 4 Liter Case |

| 5W40 SN | |
|--------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-5-40-SN-QT | 12 x 1 Quart Case |
| MO-FS-5-40-SN-GL | 4 x 1 Gallon Case |
| MO-FS-5-40-SN-5GP | 1 x 5 Gallon Pail |
| M0-FS-5-40-SN-55GL | 1 x 55 Gallon Drum |
| M0-FS-5-40-SN-1L | 12 x 1 Liter Case |
| M0-FS-5-40-SN-4L | 4 x 4 Liter Case |
| M0-FS-5-40-SN-5L | 4 x 5 Liter Case |
| | |

| 10W40 SN | |
|---------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-10-40-SN-QT | 12 x 1 Quart Case |
| MO-FS-10-40-SN-GL | 4 x 1 Gallon Case |
| MO-FS-10-40-SN-5GP | 1 x 5 Gallon Pail |
| MO-FS-10-40-SN-55GL | 1 x 55 Gallon Drum |
| M0-FS-10-40-SN-1L | 12 x 1 Liter Case |
| M0-FS-10-40-SN-4L | 4 x 4 Liter Case |
| MO-FS-10-40-SN-5L | 4 x 5 Liter Case |
| | |

| ZUW5U SN | |
|---------------------|--------------------|
| PART NO. | PACKAGING |
| MO-FS-20-50-SN-QT | 12 x 1 Quart Case |
| MO-FS-20-50-SN-GL | 4 x 1 Gallon Case |
| MO-FS-20-50-SN-5GP | 1 x 5 Gallon Pail |
| MO-FS-20-50-SN-55GL | 1 x 55 Gallon Drum |
| M0-FS-20-50-SN-1L | 12 x 1 Liter Case |
| M0-FS-20-50-SN-4L | 4 x 4 Liter Case |
| M0-FS-20-50-SN-5L | 4 x 5 Liter Case |

Semi-Synthetic Motor Oil

| 5W20 SN/GF-5 | |
|------------------------|--------------------|
| PART NO. | PACKAGING |
| MO-SB-5-20-SN-GF5-QT | 12 x 1 Quart Case |
| MO-SB-5-20-SN-GF5-GL | 4 x 1 Gallon Case |
| MO-SB-5-20-SN-GF5-5GP | 1 x 5 Gallon Pail |
| MO-SB-5-20-SN-GF5-55GL | 1 x 55 Gallon Drum |
| MO-SB-5-20-SN-GF5-1L | 12 x 1 Liter Case |
| M0-SB-5-20-SN-GF5-4L | 4 x 4 Liter Case |
| M0-SB-5-20-SN-GF5-5L | 4 x 5 Liter Case |
| | |

| 20W50 SN | |
|---------------------|--------------------|
| PART NO. | PACKAGING |
| M0-SB-20-50-SN-QT | 12 x 1 Quart Case |
| M0-SB-20-50-SN-GL | 4 x 1 Gallon Case |
| MO-SB-20-50-SN-5GP | 1 x 5 Gallon Pail |
| M0-SB-20-50-SN-55GL | 1 x 55 Gallon Drum |
| M0-SB-20-50-SN-1L | 12 x 1 Liter Case |
| M0-SB-20-50-SN-4L | 4 x 4 Liter Case |
| M0-SB-20-50-SN-5L | 4 x 5 Liter Case |
| | |

| 5W30 SM Part no. | PACKAGING |
|---------------------|--------------------|
| MO-SB-5-30-SM-QT | 12 x 1 Quart Case |
| M0-SB-5-30-SM-GL | 4 x 1 Gallon Case |
| MO-SB-5-30-SM-5GP | 1 x 5 Gallon Pail |
| M0-SB-5-30-SM-55GL | 1 x 55 Gallon Drum |
| M0-SB-5-30-SM-1L | 12 x 1 Liter Case |
| M0-SB-5-30-SM-4L | 4 x 4 Liter Case |
| M0-SB-5-30-SM-5L | 4 x 5 Liter Case |
| | |

PLEASE NOTE: A limited selection of above listed ABRO motor oils is available in ABRO's Savannah warehouse. The majority of listed ABRO motor oils may only be available for direct shipments from factory with minimum quantity requirements. Please contact your ABRO sales representative to check for availability before placing orders. ABRO's representatives can also assist you to determine which oil is best for your market.

Additional Grades: 10W30 SM, 10W40 SM, 20W50 SM

Multi-Grade Motor Oil

| 20W50 SN QT | |
|------------------|--------------------|
| PART NO. | PACKAGING |
| M0-20-50-SN-QT | 12 x 1 Quart Case |
| M0-20-50-SN-GL | 4 x 1 Gallon Case |
| M0-20-50-SN-5GP | 1 x 5 Gallon Pail |
| M0-20-50-SN-55GL | 1 x 55 Gallon Drum |
| M0-20-50-SN-1L | 12 x 1 Liter Case |
| M0-20-50-SN-4L | 4 x 4 Liter Case |
| M0-20-50-SN-5L | 4 x 5 Liter Case |
| 400040 000 | |
| 10W40 SN | D10//10/10 |
| PART NO. | PACKAGING |
| MO-10-40-SN-QT | 12 x 1 Quart Case |
| M0-10-40-SN-GL | 4 x 1 Gallon Case |
| M0-10-40-SN-5GP | 1 x 5 Gallon Pail |
| M0-10-40-SN-55GL | 1 x 55 Gallon Drum |
| M0-10-40-SN-1L | 12 x 1 Liter Case |
| M0-10-40-SN-4L | 4 x 4 Liter Case |
| M0-10-40-SN-5L | 4 x 5 Liter Case |
| 40W00 CN | |
| 10W30 SN | |
| PART NO. | PACKAGING |
| M0-10-30-SN-QT | 12 x 1 Quart Case |
| M0-10-30-SN-GL | 4 x 1 Gallon Case |
| M0-10-30-SN-5GP | 1 x 5 Gallon Pail |
| MO-10-30-SN-55GL | 1 x 55 Gallon Drum |
| MO-10-30-SN-1L | 12 x 1 Liter Case |
| M0-10-30-SN-4L | 4 x 4 Liter Case |
| MO-10-30-SN-5L | 4 x 5 Liter Case |
| | |

Economy-Grade Motor Oil

| SAE 30 | |
|---------------|--------------------|
| PART NO. | PACKAGING |
| MO-30-SA-QT | 12 x 1 Quart Case |
| MO-30-SA-GL | 4 x 1 Gallon Case |
| MO-30-SA-5GP | 1 x 5 Gallon Pail |
| M0-30-SA-55GL | 1 x 55 Gallon Drum |
| M0-30-SA-1L | 12 x 1 Liter Case |
| M0-30-SA-4L | 4 x 4 Liter Case |
| MO-30-SA-5L | 4 x 5 Liter Case |
| | |

| SAE 40 | |
|---------------|--------------------|
| PART NO. | PACKAGING |
| MO-40-SA-QT | 12 x 1 Quart Case |
| MO-40-SA-GL | 4 x 1 Gallon Case |
| MO-40-SA-5GP | 1 x 5 Gallon Pail |
| M0-40-SA-55GL | 1 x 55 Gallon Drum |
| M0-40-SA-1L | 12 x 1 Liter Case |
| M0-40-SA-4L | 4 x 4 Liter Case |
| M0-40-SA-5L | 4 x 5 Liter Case |

| SAE 50 | |
|---------------|--------------------|
| PART NO. | PACKAGING |
| M0-50-SA-QT | 12 x 1 Quart Case |
| MO-50-SA-GL | 4 x 1 Gallon Case |
| MO-50-SA-5GP | 1 x 5 Gallon Pail |
| M0-50-SA-55GL | 1 x 55 Gallon Drum |
| M0-50-SA-1L | 12 x 1 Liter Case |
| M0-50-SA-4L | 4 x 4 Liter Case |
| M0-50-SA-5L | 4 x 5 Liter Case |
| | |

Diesel & Multi-Fleet Engine Oils

Synthetic European Motor Oil

| 5W30 | |
|--|--------------------------------|
| PART NO. | PACKAGING |
| MO-FS-5-30-ACEA-QT | 12 x 1 Quart Case |
| MO-FS-5-30-ACEA-4L | 4 x 4 Liter Case |
| 5W40 PART NO. MO-ES-5-40-ACEA-OT | PACKAGING 12 x 1 Quart Case |

CI-4/SL Multi-Fleet Premium Engine Oil

CJ-4 15W40 Diesel Engine Oil

| 15W40 | |
|------------------------|-------------------|
| PART NO. | PACKAGING |
| MO-SB-15-40-CJ4-SN-QT | 12 x 1 Quart Case |
| MO-SB-15-40-CJ4-SN-GL | 4 x 1 Gallon Case |
| MO-SB-15-40-CJ4-SN-5GP | 1 x 5 Gallon Pail |

| PART NO. | PACKAGING |
|--------------------|-------------------|
| MO-FS-5-30-ACEA-QT | 12 x 1 Quart Case |
| MO-FS-5-30-ACEA-4L | 4 x 4 Liter Case |
| 5W40 Part no. | PACKAGING |

4 x 4 Liter Case

5W30 CI4/SL

MO-FS-5-40-ACEA-4L

| PART NO. | PACKAGING |
|---------------------|--------------------|
| M0-5-30-SL-C14-QT | 12 x 1 Quart Case |
| M0-5-30-SL-C14-GL | 4 x 1 Gallon Case |
| M0-5-30-SL-CI4-5GP | 1 x 5 Gallon Pail |
| M0-5-30-SL-CI4-55GL | 1 x 55 Gallon Drum |
| M0-5-30-SL-CI4-1L | 12 x 1 Liter Case |
| M0-5-30-SL-CI4-4L | 4 x 4 Liter Case |
| M0-5-30-SL-CI4-5L | 4 x 5 Liter Case |
| | |

| 10W30 CI4/SL | |
|----------------------|--------------------|
| PART NO. | PACKAGING |
| MO-10-30-SL-CI4-QT | 12 x 1 Quart Case |
| MO-10-30-SL-CI4-GL | 4 x 1 Gallon Case |
| MO-10-30-SL-CI4-5GP | 1 x 5 Gallon Pail |
| MO-10-30-SL-CI4-55GL | 1 x 55 Gallon Drum |
| MO-10-30-SL-CI4-1L | 12 x 1 Liter Case |
| MO-10-30-SL-CI4-4L | 4 x 4 Liter Case |
| MO-10-30-SL-CI4-5L | 4 x 5 Liter Case |

10W40 CI4/SL

| PART NO. | PACKAGING |
|----------------------|--------------------|
| MO-10-40-SL-CI4-QT | 12 x 1 Quart Case |
| M0-10-40-SL-CI4-GL | 4 x 1 Gallon Case |
| MO-10-40-SL-CI4-5GP | 1 x 5 Gallon Pail |
| MO-10-40-SL-CI4-55GL | 1 x 55 Gallon Drum |
| M0-10-40-SL-CI4-1L | 12 x 1 Liter Case |
| M0-10-40-SL-CI4-4L | 4 x 4 Liter Case |
| MO-10-40-SL-CI4-5L | 4 x 5 Liter Case |

15W40 CI4/SL

| PART NO. | PACKAGING |
|----------------------|--------------------|
| MO-15-40-SL-CI4-QT | 12 x 1 Quart Case |
| M0-15-40-SL-CI4-GL | 4 x 1 Gallon Case |
| MO-15-40-SL-CI4-5GP | 1 x 5 Gallon Pail |
| MO-15-40-SL-CI4-55GL | 1 x 55 Gallon Drum |
| MO-15-40-SL-CI4-1L | 12 x 1 Liter Case |
| MO-15-40-SL-CI4-4L | 4 x 4 Liter Case |
| MO-15-40-SL-CI4-5L | 4 x 5 Liter Case |
| | |

20W50 CI4/SL

| PART NO. | PACKAGING |
|----------------------|--------------------|
| M0-20-50-SL-CI4-QT | 12 x 1 Quart Case |
| M0-20-50-SL-CI4-GL | 4 x 1 Gallon Case |
| M0-20-50-SL-CI4-5GP | 1 x 5 Gallon Pail |
| M0-20-50-SL-CI4-55GL | 1 x 55 Gallon Drum |
| M0-20-50-SL-CI4-1L | 12 x 1 Liter Case |
| M0-20-50-SL-CI4-4L | 4 x 4 Liter Case |
| M0-20-50-SL-CI4-5L | 4 x 5 Liter Case |
| | |

Fleet Motor Oil

| PACKAGING |
|--------------------|
| 12 x 1 Quart Case |
| 4 x 1 Gallon Case |
| 1 x 5 Gallon Pail |
| 1 x 55 Gallon Drum |
| 12 x 1 Liter Case |
| 4 x 4 Liter Case |
| 4 x 5 Liter Case |
| |

15W40 CH4

| PART NO. | PACKAGING |
|-------------------|--------------------|
| MO-15-40-CH4-QT | 12 x 1 Quart Case |
| MO-15-40-CH4-GL | 4 x 1 Gallon Case |
| MO-15-40-CH4-5GP | 1 x 5 Gallon Pail |
| MO-15-40-CH4-55GL | 1 x 55 Gallon Drum |
| MO-15-40-CH4-1L | 12 x 1 Liter Case |
| MO-15-40-CH4-4L | 4 x 4 Liter Case |
| MO-15-40-CH4-5L | 4 x 5 Liter Case |
| | |

20W50 SG/CF4

| PART NO. | PACKAGING |
|----------------------|--------------------|
| MO-20-50-SG-CF4-QT | 12 x 1 Quart Case |
| M0-20-50-SG-CF4-GL | 4 x 1 Gallon Case |
| M0-20-50-SG-CF4-5GP | 1 x 5 Gallon Pail |
| M0-20-50-SG-CF4-55GL | 1 x 55 Gallon Drum |
| M0-20-50-SG-CF4-1L | 12 x 1 Liter Case |
| M0-20-50-SG-CF4-4L | 4 x 4 Liter Case |
| M0-20-50-SG-CF4-5L | 4 x 5 Liter Case |

SAE 40 SG/CF4

| PART NO. | PACKAGING |
|-------------------|--------------------|
| MO-40-SG-CF4-QT | 12 x 1 Quart Case |
| MO-40-SG-CF4-GL | 4 x 1 Gallon Case |
| MO-40-SG-CF4-5GP | 1 x 5 Gallon Pail |
| M0-40-SG-CF4-55GL | 1 x 55 Gallon Drum |
| M0-40-SG-CF4-1L | 12 x 1 Liter Case |
| M0-40-SG-CF4-4L | 4 x 4 Liter Case |
| M0-40-SG-CF4-5L | 4 x 5 Liter Case |
| | |

SAE 50 SG/CF4

| PARI NU. | PACKAGING |
|-------------------|--------------------|
| MO-50-SG-CF4-QT | 12 x 1 Quart Case |
| MO-50-SG-CF4-GL | 4 x 1 Gallon Case |
| MO-50-SG-CF4-5GP | 1 x 5 Gallon Pail |
| M0-50-SG-CF4-55GL | 1 x 55 Gallon Drum |
| M0-50-SG-CF4-1L | 12 x 1 Liter Case |
| M0-50-SG-CF4-4L | 4 x 4 Liter Case |
| M0-50-SG-CF4-5L | 4 x 5 Liter Case |
| | |

Economical Diesel Motor Oil

| SAE 50 CD | |
|---------------|--------------------|
| PART NO. | PACKAGING |
| MO-50-CD-QT | 12 x 1 Quart Case |
| MO-50-CD-GL | 4 x 1 Gallon Case |
| MO-50-CD-5GP | 1 x 5 Gallon Pail |
| MO-50-CD-55GL | 1 x 55 Gallon Drum |
| MO-50-CD-1L | 12 x 1 Liter Case |
| MO-50-CD-4L | 4 x 4 Liter Case |
| M0-50-CD-5L | 4 x 5 Liter Case |
| | |

SAE 50 SA/CA

| PART NO. | PACKAGING |
|------------------|--------------------|
| MO-50-SA-CA-QT | 12 x 1 Quart Case |
| MO-50-SA-CA-GL | 4 x 1 Gallon Case |
| MO-50-SA-CA-5GP | 1 x 5 Gallon Pai |
| M0-50-SA-CA-55GL | 1 x 55 Gallon Drum |
| M0-50-SA-CA-1L | 12 x 1 Liter Case |
| M0-50-SA-CA-4L | 4 x 4 Liter Case |
| M0-50-SA-CA-5L | 4 x 5 Liter Case |
| · | |

<u>PLEASE NOTE: A limited selection of above listed ABRO</u> motor oils is available in ABRO's Savannah warehouse. The majority of listed ABRO motor oils may only be available for direct shipments from factory with minimum quantity requirements.

Diesel & Multi-Fleet Engine Oils

(Diesel & Gasoline)

Diesel engines work hard, so their motor oil has to work hard too. At ABRO we've created a line of Diesel Engine Oils tough enough to handle the loads you put on your engine, while reducing friction better than ordinary oils, releasing your engine's total performance.

Synthetic European 5W30 & 5W40 Motor Oils

A premium, fully synthetic motor oil scientifically formulated with ultimate active cleansing technology. It works harder than conventional motor oils to protect by continuously preventing dirt and sludge build up for better responsiveness and improved performance, enabling your engine to operate at its full potential.

Available in: 5W30 -Specs: API SN/ILSAC GF-5, API SM/CF, ACEA A5/B5-08, MB 229.5, VW 502/505, BMW LL-01, RN 700, Ford M2C913-C

5W40 -Specs: API SN/ILSAC GF-5, API SM/CF, ACEA A3/B4-08, MB 229.31, VW 502.00 / 505.00, BMW LL-01, RN 710/700, Porsche A40, PSA B71 2296

CJ-4 15W40 Diesel Engine Oil

Premium grade diesel engine oil that provides excellent protection for newer, high performance engines that are used in the toughest on-road and off-road applications. Shown to be versatile as well as able to meet the grueling demands of today's low emission diesel engines, as well as the older models, which are using both low and high sulfur fuels.

Recommended for use in a variety of heavy-duty uses as well as operating environments. Meets the API SN specification for gasoline engines that are used in mixed fleets.

SAE 15W40 -Specs: Caterpillar ECF-1-A, ECF-2, ECF-3; MACK EON, EO-M Premium Plus, EO-0 Premium Plus; CUMMINS CES 20077/20078/20081; Detroit Diesel DDC93K215/DDC93K218; DAIMLER CHRYSLER MB228.5 MB228.1 MB228; NAVISTAR INTERNATIONAL; FORD M2C171; VOLVO VDS-4,VDS-3, VDS-2

- Performs well in low emission diesel engines, which increases the demands on engine lubricants
- · Delivers the best performance in these late model engines, as well as older engines
- · Excellent soot handling capabilities
- Exemplary thermal stability and oxidation control
- Contains properties that provide anti-wear and anti-scuff
- · Contains extended TBN reserves, which provide improved acid neutralization and corrosion protection
- Maximizes oil flow to the critical bearing surfaces during start-up
- Has stay-in-grade sheer stability
- · Extended drain capabilities excellent water tolerance
- · Meets the manufacturer's latest warranty requirements of CJ-4 and SN



CI-4/SL Multi-Fleet Premium Engine Oil

CI-4/SL Engine Oils are premium grade engine oils that provide excellent protection for newer, high performance engines. It is designed for use in mixed fuel fleets.

For use in diesel applications requiring API CI-4 or older specifications as well as gasoline applications requiring API SL or older specifications.

Available in: 5W30, 10W30,10W40,15W40,20W50 CI-4/SL

- Performs well in low emission diesel engines which increase the demands on engine lubricants.
- Delivers the best performance in these late model engines, as well as older engines.
- · Excellent soot handling capabilities.
- Exemplary thermal stability and oxidation control.
- Contains properties which provide anti-wear and anti-scuff.
- Meets the performance requirements of API CI-4 and SL.

Fleet Motor Oil

Provides high quality engine protection under all driving conditions and is specifically formulated to provide extra protection against the harmful effects of city driving.

Our low friction formula helps improve gas mileage, extend engine life and helps protect against rust, corrosion, startup wear and varnish build-up. It also protects against thermal breakdown which helps prevent

Available in: SAE 30,40,50,15W40,20W50,25W50 and 25W60 CF4/SG

SAE 30,40, 15W40, 20W50 CH4/SJ

- Protects engines under all driving conditions

Automotive Gear Lubricants

Gears are the unsung heroes of the automotive world. They're the ones that put the power where it needs to be, and the stresses they endure are extreme. Our GL-5 Synthetic and GL-5 Gear Oils are specially formulated to withstand the super high pressures of ring and pinion sets, transmissions and final drives, protecting against scuffing, scoring and rust even in the worst conditions.

GL-5 Full Synthetic and Synthetic Blend Gear Oils

A premium quality gear oil for transmissions and final drives. They meet the toughest industry specifications for automotive extreme pressures (EP) gear lubricants including limited slip differentials. They are designed for extreme pressure, offset spiral bevel, and hypoid gear sets (ring and pinion gears) in heavy-duty trucks, farm, logging and construction machinery. These oils are suitable for extended drain intervals.

Available in: 75W90 and 75W140 in Full Synthetic; 80W90 and 80W140 in Synthetic Blend

- Synthetic base stocks maximize oxidation resistance
- · Greater film strength at higher operating temperatures
- Reduced wear at start-up and ease of start-up even in arctic conditions
- Extreme pressure additives prevent gear scuffing and scoring
- Prevents formation of rust and sludge throughout the system
- Fortified to prevent chatter in limited slip synchromesh drive trains
- · Excellent resistance to foaming
- Extended drain intervals versus conventional products

GL-5 Gear Oils

A premium quality multi-purpose gear lubricant which provides superior performance that is obtained through the use of quality base oils and a select extreme pressure additive system. These additives impart anti-weld, anti-scuff and anti-wear properties that are necessary in heavy-duty service gear lubricants. GL-5 Gear Oils provide excellent protection under the most severe conditions encountered in commercial transmissions, axles and final drives. GL-5 Gear Oils are designed to be used in limited slip differentials.

Available in: 80W90 and 85W140

- · For use in limited slip differentials
- Excellent for use in heavy equipment applications that place higher performance demands on the drive train lubricants
- Exceptional reliability in today's drive train applications as well as in the older models
- · Provides high thermal stability as well as oxidation resistance
- Protect against low speed high torque wear
- Excellent fluidity in low temperatures which reduces wear during start-up
- · Improved lubrication and extended seal life due to good foam control

GL-1 Gear Oils

Manufactured with high quality base stocks to provide outstanding oxidation stability for long service life. This oil is inhibited against foaming and does not contribute to corrosion or wear of yellow metals, such as brass or bronze. GL-1 Gear Oil meets API designation GL-1.

Available in: SAE 90, 140 and 250

- · Long Service Life
- Non-FoamingNon-Corrosive



GL-5 Full Synthetic and Synthetic Blend

75W90 Full Synthetic

| PACKAGING |
|-------------------------|
| 12 x 1 York Bottle/Case |
| |
| |
| PACKAGING |
| 12 x 1 York Bottle/Case |
| |
| |
| PACKAGING |
| 12 x 1 York Bottle/Case |
| |
| |
| PACKAGING |
| 12 x 1 York Bottle/Case |
| |

GL-5 Gear Oil

8NW9

| 001170 | |
|-----------------|-------------------------|
| PART NO. | PACKAGING |
| GL-5-RB-80-90 | 12 x 1 York Bottle/Case |
| GL-5-80-90-QT | 12 x 1 Quart/Case |
| GL-5-80-90-GL | 4 x 1 Gallon/Case |
| GL-5-80-90-5GP | 1 x 5 Gallon Pail |
| GL-5-80-90-55GL | 1 x 55 Gallon Drum |
| | |

| 85W140 | | |
|-------------------|-------------------------|--|
| PART NO. | PACKAGING | |
| GL-5-RB-85-140 | 12 x 1 York Bottle/Case | |
| GL-5-85-140-QT | 12 x 1 Quart/Case | |
| GL-5-85-140-GL | 4 x 1 Gallon/Case | |
| GL-5-85-140-5GP | 1 x 5 Gallon Pail | |
| GI -5-85-140-55GI | 1 x 55 Gallon Drum | |

GL-1 Gear Oil

91

| 90 | |
|---------------|--------------------|
| PART NO. | PACKAGING |
| GL-1-90-1L | 12 x 1 Liter/Case |
| GL-1-90-QT | 12 x 1 Quart/Case |
| GL-1-90-5L | 4 x 5 Liter/Case |
| GL-1-90-GL | 4 x 1 Gallon/Case |
| GL-1-90-5GP | 1 x 5 Gallon Pail |
| | |
| 140 | |
| GL-1-140-1L | 12 x 1 Liter/Case |
| GL-1-140-1QT | 12 x 1 Quart/Case |
| GL-1-140-GL | 4 x 1 Gallon/Case |
| GL-1-140-5GP | 1 x 5 Gallon Pail |
| GL-1-140-55GL | 1 x 55 Gallon Drum |
| | |
| | |
| 250 | |
| GL-1-250-QT | 12 x 1 Quart/Case |
| GL-1-250-GL | 4 x 1 Gallon/Case |
| GL-1-250-5GP | 1 x 5 Gallon Pail |
| · | · |

PLEASE NOTE: A limited selection of listed ABRO Gear Lubricants and Transmission Fluids is available in ABRO's Savannah warehouse. The majority may only be available for direct shipments from factory with minimum quantity requirements.

Transmission Fluids

Global ATF

A premium fluid designed for automatic transmissions of all North American, European and Asia-Pacific-made vehicles. Global ATF provides exceptional oxidation, wear, frictional stability and anti-shudder properties required in today's high performance transmissions. Its is also designed to deliver premium performance in older transmissions.

Multi-Purpose ATF

Created for electronically controlled transmissions, this product may be used in automatic transmission units that require the use of Dexron® IIIH, Dexron® IIIE, Dexron® IIIE, Dexron®III, and Dexron® fluids, and is qualified Ford Mercon® ATF. Further, it meets the performance requirements for Allison Transmission Division (C-4), and major hydraulic pump manufacturers' requirements for anti-wear hydraulic fluids. Multi-Purpose ATF provides excellent friction stability, oxidation, anti-wear properties and low-temperature fluidity desired for most automatic transmissions.

CVT Transmission Fluid

CVT Fluid is a full synthetic automatic transmission fluid specifically formulated for today's technologically sophisticated variable transmissions. This product eliminates the need to stock multiple, limited OEM brands. CVT Fluid has equal, and in most cases, better performance than the most common North American CVT Fluids being supplied by leading OEMs. CVT Fluid provides engineered anti-shudder performance for smooth transfer of power, exceptional anti-oxidation and anti-wear protection in highly sophisticated variable transmissions.

• Excellent low temperature fluidity • Provides excellent anti-wear, anti-corrosion, anti-foam, and oxidation resistance • Possesses excellent metal frictional characteristics • Excellent Shear Stability • Provides foaming resistance — contains an anti-foaming agent • Dyed red for easy identification

Type A

A quality economical fluid. It is formulated from select base oils with a special additive to suppress foam formation. It contains red dve as a leak detector.

Type A Automatic Transmission Fluid provides straight mineral oil lubrication and can be used when a lubricant of this type is recommended.

Tractor Transmission Hydraulic Fluids

Formulated specially for use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment that employs a common fluid reservoir.

Available in: XL Tractor Hydraulic Fluid, EL Tractor Hydraulic Fluid

Performs many functions such as lubrication of the transmission and final drive - Serves as hydraulic fluid for the operation
of power steering units, brakes and implements - Eliminates "chatter" and excessive brake facing wear, assuring smooth
operation of clutch packs and wet brakes - Protects metal surfaces against scuffing and wear - Compatible with equipment
manufacturer's proprietary fluids and other fluids of this type.

AW Hydraulic Oils

Hydraulic Oils are premium quality antiwear hydraulic fluids designed to provide optimal protection in high pressure applications. AW Hydraulic Oils are formulated to provide rust protection as well as foam inhibition. AW Hydraulic Oils have excellent oxidation resistance and provide superior antiwear protection. AW Hydraulic Oils have a dielectric strength above 35kV and are non-conductive.

- Specifically designed to maximize protection to hydraulic pump and their parts Formulated with highly refined, high viscosity index base stocks Provide excellent demulsibility and rust protection• Anti- wear additives create a protective film on metal surfaces
- Helps minimize metal to metal contact that is most severe in vane and gear pumps
- Minimum viscosity changes over a wide range of temperatures
- Superior filterability is provided with excellent thermal and hydrolytic stability thus preventing the formation of deposits which may interfere with filtration in equipment that has close tolerances.



STOU 10W30 Tractor Fluid

STOU 10w30 Tractor Fluid is multi-functional oil specially formulated with premium quality base stocks, proper viscosity index improvers, pour point depressants, and a top-grade additive for use in tractors and equipment utilizing STOU fluids for the engine oil. STOU 10w30 Tractor Fluid can be used for the crankcase of diesel and four stroke gasoline engines, hydraulic systems, transmissions, final drives, PTO clutch, wet brakes, hydrostatics, and power steering. STOU 10w30 Tractor Fluid has a wide range of applications in engines transmission sand hydraulic systems of modern tractors.

- Provides outstanding wear and friction control
- Offers powerful dispersion and detergency
- Superior engine performance Enable greater lubricant flow Ensures smooth operation
- · Versatility for a wide range of manufacturers

MEETS PERFORMANCE CAPABILITIES: API CE, CF, CF-4, CG-4, SF; API GL-4; ACEA E2; ACEA E3; JOHN DEERE J27; MASSEY FERGUSON CMS 1145, 1144, 1139; ALLISON C4; FORD M2C159B; ZF TE ML 06A, 06B, 06C, 06D, 07B; CATERPILLAR T0-2; MB 227.1, MB 228.1, MB 228.3; MAN 271;MIL-L-2104D

Related Applications requiring a STOU Fluid (Super Tractor Oil Fluid)

TO-4 Torque Fluids

TO-4 Torque Fluids are high performance transmission and drive-train lubricants designed to meet the requirements of Caterpillar's TO-4 specifications. TO-4 Torque Fluids are engineered to optimize the performance of powershift transmissions, gearboxes, and final drives. TO-4 Torque Fluids contain an advanced additive system to deliver the precise performance parameters needed to maximize the productivity of construction, quarrying, and mining equipment operating in severe conditions.

- Designed for heavy-duty construction equipment power shift transmissions
- Special additives protect metal surfaces against scuffing and wear
- Frictional controls stop slippage and assure silent and efficient action
- Resists oxidation at elevated operating temperatures
- Defends against rust and corrosion of highly refined precision parts
- Base oils and additives are carefully chosen for compatibility with clutch face and seal materials

Transmission Fluids

Global ATF

| PART NO. | PACKAGING |
|----------------|-------------------|
| AT-180DX-VI-QT | 12 x 1 Quart/Case |
| AT-180DX-VI-4L | 4 x 4 Liter/Case |
| AT-180DX-VI-5L | 4 x 5 Liter/Case |

Type A

| PART NO. | PACKAGING |
|-------------|--------------------|
| AT-160-QT | 12 x 1 Quart/Case |
| AT-160-1L | 12 x 1 Liter/Case |
| AT-160-GL | 4 x 1 Gallon/Case |
| AT-160-4L | 4 x 4 Liter/Case |
| AT-160-5GP | 1 x 5 Gallon Pail |
| AT-160-55GL | 1 x 55 Gallon Drum |
| | |

Multi-Purpose ATF

| PART NO. | PACKAGING |
|-----------------|-------------------|
| AT-170DX-III-QT | 12 x 1 Quart/Case |
| AT-170DX-III-1L | 12 x 1 Liter/Case |
| AT-170DX-III-4L | 4 x 4 Liter/Case |

CVT Transmission Fluid

| PART NO. | PACKAGING |
|-----------|-------------------|
| AT-CVT-QT | 12 x 1 Quart/Case |

AW Hydraulic Oil

10,32,46,68,100

HYDRAULIC,TRACTOR & TORQUE FLUIDS AVAILABLE IN 5 GAL PAILS, 55GL DRUMS, TOTES & FLEXI BAGS.



Motorcycle and Small Engine Oils

Full Synthetic Motorcycle Oil

ABRO Full Synthetic Motorcycle Oil is specially designed to protect motorcycle engines. It is formulated with full synthetic base stock and a premium additive package chosen for exceptional wear protection, sludge and varnish resistance, and thermal stability.

- · Reduces heat, friction, and wear
- Gives excellent protection for transmissions and wet clutches
- · Helps reduce foaming and air-entrainment in high speed engines
- Provides excellent protection for air cooled engines
- · Multi-grade formula allows easier cold starts while maintaining high temperature film strength
- Outstanding protection against thermal and viscosity breakdown
- Protects against piston/cylinder scuffing

Can be used in all 4-stroke motorcycle engines, including racing, high performance, street, and off road motorcycles.

Available in: 20W50- API SL/CF, JASO MA2

Synthetic Blend Motorcycle Oil

ABRO Synthetic Blend Motorcycle Oil can be used in all 4-stroke motorcycle engines, including racing, high performance, street, and off road motorcycles. It can also be used in motorcycle transmissions when API SN, SM, SL, SJ, or SG motor oil is required.

Available in: 10W40 SN/JASO MG-API SN,SM,SLSJ JASO MB

Premium Motorcycle Oil

ABRO Premium Motorcycle Oil is a formulation specially designed to protect motorcycle engines and meet the lubricating performance requirements for four-stroke cycle gasoline engines. It is formulated with a premium additive package chosen for excellent control for deposit, exceptional wear protection, sludge and varnish resistance, and thermal stability.

Available in: 10W40 SN JASO SN/MB MC OIL -API SN,SM,SL,SJ JASO MB 5W30 SN JASO SN/MA2 MC OIL -API SN,SM,SL,SJ JASO MA2

4-Cycle Motorcycle Oil

ABRO 4-Cycle Motorcycle Oil is specially designed to protect motorcycle engines. It is formulated with a premium additive package chosen for exceptional wear protection, sludge and varnish resistance, and thermal stability. Available in: 20W50 SL

2-Cycle Engine Oil

Designed for small engines to provide excellent engine protection in both variable ratio injection systems and fuel/oil pre-mix applications. It is pre-diluted to provide easy mixing. Formulated to ensure fluidity and miscibility at low temperatures. 2-Cycle Engine Oil is specifically designed for use in newer high performance air-cooled engines, but can be used in any air-cooled engine where low ash oils are recommended.

Our premium formulation is fully compatible with low octane, oxygenated/gasoline fuels. It will provide outstanding anti-scuff, anti-wear, rust and corrosion protection and it burns cleanly and helps keep port clear for maximum output. It also protects bail and needle bearings during high RPM use. Available in: 20W50- API SL/CI-4

TC-W3 2-Cycle Engine Oil

A superior quality ashless 2-cycle lubricant. It is formulated with premium base stocks and modern ashless detergent additive package to maximize performance and to protect outboard engines. It is pre-diluted for ease of mixing and may be used in injection systems.

- NMMA Approved
- · Pre-diluted for easy mixing
- May be used in injection systems
- · For use in high horsepower outboards



Full Synthetic Motorcycle Oil

20W50- API SL/CF, JASO MA2 Part no.

 PART NO.
 PACKAGING

 MC-FS-20-50-SL-CF-JASO-MA2-QT
 12 x 1 Quart/Case

Synthetic Blend Motorcycle Oil 10W40 SN/JASO MG-API SN.SM.SLSJ JASO MB

 PART NO.
 PACKAGING

 MC-SB-10-40-SN-JASO-MB-QT
 12 x 1 Quart/Case

Premium Motorcycle Oil

10W40 SN JASO SN/MB -API SN,SM,SL,SJ JASO MB PART NO. PACKAGING

MC-10-40-SN-JASO-MB-QT 12 x 1 Quart/Case

5W30 SN JASO SN/MA2 — API SN,SM,SL,SJ JASO MA2

PART NO. PACKAGING

MC-5-30-SN-JASO-MA2-QT 12 x 1 Quart/Case

4-Cycle Motorcycle Oil

 PART NO.
 PACKAGING

 MC-20-50-SL-QT
 12 x 1 Quart/Case

2-Cycle Engine Oil

 20 W 50 SL/CI4

 PART NO.
 PACKAGING

 TS-250-QT
 12 x 1 Quart/Case

 TS-250-6.40Z
 24 x 6.4 0Z/Case

 TS-250-3.20Z
 24 x 3.2 0Z/Case

TC-W3 2-Cycle Premium Plus TC-W3

 PART NO.
 PACKAGING

 TS-TC-W3-QT
 12 x 1 Quart Case

 TS-TC-W3-GL
 4 x 1 Gallon Case

 TS-TC-W3-160Z
 24 x 16 0Z Case

PLEASE NOTE: A limited selection of listed ABRO Motorcycle Oil is available in ABRO's Savannah warehouse. The majority may only be available for direct shipments from factory with minimum quantity requirements.



ABRO PREMIUM STANDARDS: API Approved & GF-5 Energy Efficient

ABRO is meeting the latest requirements & energy efficiency regulations in the industry. Many of our oils are API Approved and meet GF-5 & energy efficiency regulations.

GF-5 Energy Efficient

Motor Oils

ILSAC GF-5 lubricants improve passenger car performance from the spark plug to the tailpipe. These performance improvements are good news for lubricant marketers, auto manufacturers, consumers and the environment.

GF-5 Energy Efficient Motor Oil meets the current engine protection standard and fuel economy requirements of the International Lubricant Standardization and Approval Committee (ILSAC).

The GF-5 specification is designed to provide improved high temperature deposit protection for pistons, more stringent sludge control and seal compatibility. API SN with Resource Conserving matches ILSAC GF-5 by combining improved fuel economy, turbocharger protection and emission control system compatibility.



API Approved

Motor Oils

API Approved Motor oils for gasoline and diesel powered vehicles. Oils displaying these marks meet performance requirements set by the U.S. and international vehicle and engine manufacturers and lubricant industry.

API Approved Motor oil is designed to provide high temperature deposit protection for pistons and turbochargers, more stringent sludge control, improved fuel economy, enhance emission control system compatibility, seal compatibility and protection of engines operating on ethanol-containing fuels.





ABRO's masking, polypropylene and filament tapes are available in a variety of larger sizes for converting applications. All of our jumbo rolls are manufactured to rigid specifications allowing the overseas converter to efficiently process the jumbo rolls into cut rolls. Complete specifications are available upon request.



MASKING TAPE

Conforms to Virtually Any Surface Prevents Penetration of Paints and Thinners

PART NO. 2123

Numerous Widths/Lengths Available



AUTOMOTIVE MASKING TAPE

Cured Adhesive System Minimizes Adhesive Residue on Painted Surface Non-USA Origin

| PART NO. 2123Y | |
|-----------------|---------|
| 3/4" x 50 Yards | 48/CASE |
| 3/4" x 30 Yards | 96/CASE |
| 1" x 50 Yards | 36/CASE |
| 1" x 30 Yards | 72/CASE |



PVC ELECTRICAL TAPE

Self-Bonding, Insulating Wrap for Low Voltage Wire and Cable Applications Available in Black, White, Red, Blue, Yellow and Green Non-USA Origin

| PART | NO | ΕT | 911 | , |
|------|-----|----|--------|---|
| PARI | NO. | | -9 I 4 | 4 |

19mm x 10 Yards 500/CASE



UL CLASSIFIED PVC ELECTRICAL TAPE

Insulating Wrap Suitable for Use Up to 600V and 80°C

Available in Black; Non-Flammable Non-USA Origin

PART NO. ET-914

0.17mm x 18mm x 20 Yards 250/CASE



UL CLASSIFIED ALUMINUM FOIL TAPE

Seals Fiberglass Board Duct Joints Wrinkle-Free, Conforms to Surface Irregularities

| PART NO. 2290 | |
|---------------|---------|
| 2" x 40 Yards | 24/CASE |
| PART NO. 2290 | |
| 3" x 40 Yards | 16/CASE |



Reinforced for Sealing Foil-Faced Duct Insulation Seams

Blends with Primary Facing for a Strong, Finished Look

| PART | NO. | 3450 | |
|---------|-------|------|--|
| 2" x 40 | Yards | | |
| | | | |

24/CASE **PART NO. 3450** 3" x 40 Yards 16/CASE



SILVER CLOTH DUCT TAPE

High Quality, Economically Priced Combines Excellent Adhesion and Tensile Strength for Ease of Application and Versatility

| PART NO. 395 | |
|---------------|---------|
| 2" x 40 Yards | 24/CASE |
| PART NO. 395 | |
| 3" x 40 Yards | 16/CASE |



POLYPROPYLENE PACKAGING TAPE

Reinforced to Resist Tearing and Splitting Choice of Hot Melt or Acrylic Adhesive in Tan or Clear

Additional Tape Widths and Lengths Available; Non-USA Origin

| PART NO. 2129 | _ |
|------------------|---------|
| 48mm x 50 Yards | 36/CASE |
| 48mm x 100 Yards | 36/CASE |



COLORED DUCT TAPE

Perfect for Coding and Identification Available in Black, White, Silver, Blue, Green, Burgundy, Red, Yellow and Orange Non-USA Origin

| PART NO. 6620 | |
|---------------|---------|
| 48mm x 10y | 54/CASE |



PEEL & SEAL ROOF TAPE - FLASHING TAPE

Self Adhesive/Roofing/Waterproofing Membrane with a Reflective Aluminum Surface For Roofing, Waterproofing, Patching and Repair or Any Job Requiring Tough Weatherproof Protection

Reflects Heat to Keep Interiors Cool and Reduces Utility Bills Non-USA Origin

| PART NO. RT-4-60-33 | |
|---------------------|--------|
| 4" x 33ft x 60mil | 6/CASE |

PART NO. RT-6-60-33

6" x 33ft x 60mil 4/CASE



PVC PIPE WRAP TAPE*

Corrosion Protection for Piping Systems Above and Below Ground

Protects Fittings and Joints on Coated Pipes Corrosion Protection of Electrical Conduit & **Fittings**

Strongest Adhesion Non-USA Origin

PART NO. PW-0.2MM-48MM-9.1-B

0.2mm x 48mm x 9.1m

* Currently not available for mixed orders from warehouse. Ships directly from factory.



ANTI-SLIP TAPE *

Prevents Slipping Accidents on Steps, Ladders, Ramps and Boats Sticks on Wood, Metal and Smooth

Concrete Will Not Harm Surface

Black, Grey, With Fluorescent Night Glow Strip

PART NO. AS-60G-48-5

54/CASE

ANTI-SLIP TAPE 48 MM X 5 YD GREY

* Currently not available for mixed orders from warehouse. Ships directly from factory.

Tapes & Stretch Films







COLORED STRETCH FILM*

Secures, Bundles, and Stabilizes Objects Available in Black, Blue, Clear, or Clear with ABRO Logo. Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

CLEAR STRETCH FILM

Hand-Held Rolls Available in Density 70 mils

PART NO. ST-18-17.8-1500

70mil 4/CASE



PTFE THREAD SEAL TAPE LIGHT BLUE FOR WATER PIPES

Provides Strong Tight Seal for Threaded Joints

Use on Plastic, Brass, Copper, Aluminum, Galvanized Steel and Black Iron Piping Easily Disassembles

Non-USA Origin

 PART NO. TT-0.5-10YDS-0.075MM-0.3D

 0.5" x 10 Yds x 0.075mm x 0.3D
 1000/CASE

 PART NO. TT-0.75-10YDS-0.075MM-0.3D

 0.75" x 10 Yds x 0.075mm x 0.3D
 1000/CASE

 PART NO. TT-0.5-7YDS-0.075MM-0.3D

 0.5" x 7 Yds x 0.075mm x 0.3D
 1000/CASE

 PART NO. TT-0.75-7YDS-0.075MM-0.3D

 0.75" x 7 Yds x 0.075mm x 0.3D
 1000/CASE

PTFE THREAD SEAL TAPE * LIGHT YELLOW FOR GAS PIPES

Provides Strong Tight Seal for Threaded Joints

Use on Metal, Brass, Copper, Aluminum, Galvanized Steel and Black Iron Piping Easily Disassembles Non-USA Origin

| PART NO. TT-170 | |
|-----------------|----------|
| 12MM x 10M | 500/CASE |
| PART NO. TT-171 | |
| 18MM x 15M | 250/CASE |

* Currently not available for mixed orders from warehouse. Ships directly from factory.





ABROLOK® REMOVABLE THREADLOCK

Medium Strength Adhesive for Fasteners 1/4" and Over

Prevents Parts from Loosening Due to Vibration

Allows for Easy Disassembly When Required

PART NO. TL-342

SUPER SEAL

Pressure Loads

8 OZ./240mL

PART NO. SS-822

Copper Reinforced Liquid Glass

Blocks, Heads and Radiators

Permanently Seals Holes and Cracks in

Withstands Extreme Temperature and

.02 OZ./6mL 12/CASE



ABROLOK® PERMANENT THREADLOCK

High Strength Formula Locks Studs Up to One Inch

Vibration-Proof; Resists Most Chemicals For Applications Not Requiring Periodic Disassembly

PART NO. TL-371

.02 OZ./6mL 12/CASE



ABROLOK® PERMANENT THREADLOCK

High Strength Formula Locks Studs Up to One Inch

Vibration-Proof; Resists Most Chemicals For Applications Not Requiring Periodic Disassembly

PART NO. TL-571

50mL 12/CASE



ABROLOK® GEL PERMANENT THREADLOCK

Gel with Pump Applicator for Easy Use High Strength Formula Locks Studs Up to One Inch

Vibration-Proof; Resists Most Chemicals For Applications Not Requiring Periodic Disassembly

PART NO. TL-671

1.2 OZ./35mL 12/CASE



EAGLE® HEAD GASKET SHELLAC

Brush-On Sealer for Paper, Cardboard and Felt Gaskets

Fast Drying, Hard Setting

Resists Most Petroleum Products and Shop Fluids

PART NO. GS-10A

144/CASE 2 OZ./59mL



FOAM INSULATION SEALANT

Forms an Effective Air and Moisture Barrier Around Door Frames, Windows, Electrical Outlets, etc.

Will Not Crack or Peel

PART NO. AB-703

12 OZ./340g 12/CASE



INDUSTRIAL SIZE FOAM INSULATION SEALANT*

Seals Around Windows, Doors, Siding and

Seals and Insulates Cracks, Joints, Gaps Around Pipes, Vents, Utility Lines and Electrical Outlets

Non-USA Origin

PART NO. FM-750-UN-AM-R

750mL 12/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.







CALEFRID CHIGH TEMP EXHAUST SYSTEM CONSEALER CONSE

EXHAUST SYSTEM SEALER/CEMENT

Withstands Temperatures Up to 2000°F (1093°C)

Repairs Minor Holes and Cracks in Exhaust System Components

| PART NO. ES-332 | |
|-----------------|---------|
| 6 OZ./170g | 12/CASE |



EXHAUST SYSTEM REPAIR TAPE

Restores Exhaust System Components Aluminum with High Temperature Bonding Agent

| PART NO. ER-400 | |
|--------------------------|---------|
| 2" x 40"/ 5 cm x 101.6cm | 12/CASE |

| Flows into Cracks and Crevices On Nearly |
|--|
| Any Surface |
| Dries to a Watertight Seal |
| Paintable and Available in Three Different |
| Colors: Black, Clear and White |


| · | |
|---------------------|---------|
| PART NO. RS-425-BLK | |
| 15 OZ/425 g | 12/CASE |
| PART NO. RS-425-CLR | |
| 15 OZ/425 g | 12/CASE |
| PART NO. RS-425-WHT | |
| 15 OZ/425 g | 12/CASE |



#11 LACQUER THINNER

Reduces Lacquers, Oil Paints and Varnishes Balanced, Quick Dry Formula Non-USA Origin

| PART NO. LQ-11-USGL | |
|---------------------|--|
| 1 GAL./3.785L | |



#11 NITROCELLULOSE THINNER*

Nitrocellulose Formula

Reduces Lacquers, Oil Paints and Varnishes Cleans Tools and Painting Equipment Non-USA Origin

PART NO. #11-4-5L

6/CASE

| 5L | 4/CASE |
|---|--------|
| * Currently not available from warehouse. Ships | |



SPRAY UNDERCOATING

Reduces Road Noises and Vibrations Rubberized for Maximum Protection and Durability

Resists Chipping, Abrasion and Exterior Corrosion

| PART NO. U-60 | |
|----------------|---------|
| 16.25 OZ./461g | 12/CASE |



WINDSHIELD REPAIR TAPE

100% Vulcanized Butyl Rubber Pre-Formed (Round or Square) for Ease of Installation

| PART NO. WS-904R | ROUND |
|------------------|---------|
| 3/8" x 15' | 12/CASE |
| PART NO. WS-904S | SQUARE |
| 3/8" x 15' | 12/CASE |



AMERICAN BODY FILLER

Easy-Mix, Easy-Sand, Professional Strength Body Filler Ideal for Steel, Metal, Wood and Fiberglass Specially Formulated for Super Smooth Spreading and Easy Workability

PART NO. EZ-850

5.5kg 4/CASE



P.49 LIGHTWEIGHT PLASTIC FILLER

Quick and Easy to Apply Superior Sandability and Feather Edging Tack-Free for an Ultra Smooth Finish

| PART NO. P.49LW-QT-6 | |
|----------------------|--------|
| 1 QT./900g | 6/CASE |
| PART NO. P.49LW-GL | |
| 1 GAL./3.52kg | 4/CASE |



P.49-2 LIGHTWEIGHT PLASTIC FILLER*

Tack-Free for an Unbeatable Ultra-Smooth Finish

Great for Dents, Scratches and Rust on a Variety of Surfaces Non-USA Origin



| PART NO. P.49-2-GAL | |
|---------------------|--------|
| 1 GAL./3.52kg | 4/CASE |
| PART NO. P.49-2 | |
| 4.5 LITER | 2/CASE |
| | |

* Currently not available for mixed orders from warehouse. Ships directly from factory.



ROYAL EAGLE LIGHTWEIGHT BODY FILLER

Easy Sanding Smooth Spreading Quick and Easy to Apply

PART NO. P.49-ROYAL EAGLE

1 GAL./3.52kg 4/CASE



URETHANE AUTO GLASS ADHESIVE

Quick Curing One-Part Polyurethane Adhesive

Designed for Close Cut-Out or Tape Installations

PART NO. UR-3000

310.1 OZ./300mL 12/CASE



151 Dry Time intent

Ist Indoor and Addoor Use

1 344

UL CLASSIFIED DUCT SEALANT*

Fiber Reinforced Water Based Duct Sealant Used to Pressure Seal all Types of HVAC Duct Systems, Including Metal, Fiberglass Ductboard and Flexduct

Exceeds all SMACNA Sealing and Pressure Classes

For Indoor and Outdoor Applications Excellent Mold and Mildew Resistance Paintable with Latex and Oil Base Paints

PART NO. DS-1050

10.5 OZ./310mL 24/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.



WINDSHIELD REPAIR KIT

New Pro Pack Kit

Patented System Makes Most "Bulls Eyes" and Stone Chips Virtually Undetectable Avoid Costly Windshield Replacement Detailed Multi-Language Instructions Included

| DADT | NO | MAID | 200 |
|------|-----|------|------|
| PART | NU. | VVK | -29U |
| | | | |

.018 OZ./.534mL 6/CASE Use this side for coarse grinding

Use this side for fine grinding





GRINDING PASTE

Easy Sanding and Smooth Spreading Quick and Easy to Apply Non-USA Origin

PART NO. GP-201

5 OZ./140g 10 Cartons x 12 Cans/CASE



POLISHING COMPOUND SUPERIOR PERFORMANCE

Specially Formulated with High Tech Abrasives to Help Restore the Shine to Dull, Oxidized Finishes

Helps to Remove Swirls and Fine Surface Scratches

Smoothes the Finish While Producing a Reflective Shine to the Surface

PART NO. PC-310

10 OZ./295mL 12/CASE





RUBBING COMPOUND SUPERIOR PERFORMANCE

Excellent for Removing Oxidation From Surface of Older Cars; Fast Cutting Action Easy to Use With Minimum Cleanup Effort Body Shop Safe and Silicone Free

| PART NO. RC-295 | |
|-----------------|---------|
| 10 OZ./295mL | 12/CASE |
| PART NO. RC-947 | |
| 32 OZ./947mL | 12/CASE |



TAIL LIGHT REPAIR

Easy Cut & Paste Tail Light Repair Repairs in Place Without Removing Light Cover

3 Repair Sheets: 1 Red, 1 Amber, 1 Clear Combo Kit

PART NO. TR-375 3.75" x 7.375"/9.5 x 18.7 cm 12/CASE



THERMOMETAL®

Withstands Temperatures Up to 2400°F

Seals Joints and Cracks in Steel or Iron Eliminates the Need for Welding or Brazing

| PART NO. TM-185 | |
|-----------------|---------|
| 3 OZ./85g | 12/CASE |
| | |



RUST CONVERTER SPRAY

Seals and Stops Rust in One Easy Step Quickly Converts Rust Into Paintable Surface

PART NO. RC-1000-R

12/CASE 283g



RUST EVAPORATOR


Effectivly Removes Deep Rust on All Types of Steel and Iron

Safe on All Surfaces; Will Not Harm Copper, Brass, Aluminum, Plastic, Rubber or Vinyl Non-Toxic, Biodegradable, Contains No Acids or Alkalis

Non-Flammable, Contains No Petroleum

PART NO. RR-378-R

1 GAL./3.78L 4/CASE



CPVC CEMENT

REGULAR AND HEAVY BODY

Designed for Cold and Hot Water; System Applications Up to 180°F (82°C) Conforms to ASTM D-2564 and F-493 Standards



| CPVC | | | | |
|-----------------|--------|------------------------------------|--|---|
| BODY | COLOR | SIZE | QUANTITY | PART NO |
| REGULAR BODY | ORANGE | 4 OZ. 8 OZ. 16 OZ. 32 OZ. | 24/CASE 24/CASE 12/CASE 12/CASE | CP-04R CP-08R CP-16R CP-32R |
| HEAVY BODY | ORANGE | 8 OZ. 16 OZ. 32 OZ. | 24/CASE 12/CASE 12/CASE | <u>CP-08H</u> <u>CP-16H</u> <u>CP-32H</u> |

PURPLE PRIMER

AND UNIVERSAL CLEAR CLEANER

Penetrates and Softens all PVC/CPVC (Except Copper Tube Size) for Ease of Assembly and Leak-Proof Connections



| PURPLE PRIMER | | | | |
|------------------|--------|------------------------------------|--|----------------------------------|
| BODY | COLOR | SIZE | QUANTITY | PART NO |
| PURPLE PRIMER | PURPLE | 4 OZ. 8 OZ. 16 OZ. 32 OZ. | 24/CASE 24/CASE 12/CASE 12/CASE | PP-04 PP-08 PP-16 PP-32 |
| CLEANER | CLEAR | 4 OZ. 8 OZ. 16 OZ. 32 OZ. | 24/CASE 24/CASE 12/CASE 12/CASE | CL-04 CL-08 CL-16 CL-32 |

Gasket Makers & Sealants



RTV SILICONE GASKET MAKER

Resists Temperatures Up to 500°F (260°C) Makes Tough Leak-Proof Gaskets Instantly Fast Curing, Remains Flexible

| PART NO. 10-AB (BLUE) | |
|---------------------------|---------|
| PART NO. 12-AB (BLACK) | |
| PART NO. 13-AB (CLEAR) | |
| PART NO. 14-AB (WHITE) | |
| 3 OZ./85g | 12/Case |
| PART NO. 12-AB-42 (BLACK) | |
| PART NO. 13-AB-42 (CLEAR) | |
| 1.5 OZ./42.5g | 12/Case |
| | |



RED RTV SILICONE GASKET MAKER

Resists Temperatures Up to 650°F (343°C) Ideally Suited for Intake and Exhaust Manifolds, Headers, Thermostat Housings, etc. Leak-Proof; Will Not Foul Oxygen Sensors

| PART NO. 11-AB | |
|-------------------|---------|
| 3 OZ./85g | 12/CASE |
| PART NO. 11-AB-42 | |
| 1.5 OZ./42.5g | 12/CASE |



ULTRA PLUS® COPPER RTV SILICONE GASKET MAKER

Designed Specifically for 4-Cylinder High-Performance Turbo-Charged Engines Oxygen Sensor Safe; Non-Corrosive Super High-Temp: Effective Up to 700°F (371°C)

Great for Exhaust Manifolds Neutral Cure, Low Odor

| PART NO. 418-AB | | |
|-----------------|---------|--|
| 3 OZ /85a | 12/CASE | |



Oxygen Sensor Safe Neutral Cure, Low Odor Effective Up to 650°F (343°C) Designed Specifically for Import Engines

| 12/CASE |
|---------|
| |
| 12/CASE |
| |
| 24/CASE |
| |



AIR POWER RTV SILICONE GASKET MAKER

Oxygen Sensor Safe
Excellent Heat Control and Torque
Retention

Makes Gaskets for High Temperature Up to 650°F (343°C)

Available in Three Colors





ULTRA PLUS® BLACK RTV SILICONE GASKET MAKER

Oxygen Sensor Safe; Non-Corrosive Super High-Temp: Effective Up to 700°F (371°C)

Great for Exhaust Manifolds Neutral Cure, Low Odor

 PART NO. 412-AB

 3 OZ./85g
 12/CASE



ULTRA PLUS® COPPER GASKET SPRAY

Great for Exhaust Manifolds, Cylinder Heads and Turbocharger Flanges Effective in Temperatures Up to 500°F (260°C)

Excellent for Sealing Non-Absorbent Surfaces and Eliminating Hot Spots Neutral Cure, Low Odor

PART NO. CG-418

9 OZ./ 255g 12/CASE



ACRYLIC LATEX SEALANT 600

Provides a Weather-Tight Seal Paintable; Will Not Bleed, Stain or Discolor Adheres Well to Most Building Materials Non-USA Origin

| PART NO. AS-600-BLK | (BLACK) |
|---------------------|---------|
| Cartridge | 24/CASE |
| PART NO. AS-600-WHT | (WHITE) |
| Cartridge | 24/CASE |



RTV SILICONE SEALANT 1000

General Purpose Economy Grade for Indoor or Outdoor Use Available In Clear, White and Black

| PART NO. SS-1000-40C | | | | |
|----------------------|---------|--|--|--|
| 1.36 OZ./40mL | 12/CASE | | | |
| PART NO. SS-1000 | | | | |
| Cartridge | 24/CASE | | | |



RTV SILICONE SEALANT 2000

General Purpose Economy Grade for Indoor or Outdoor Use Available In Clear, White, Black and Grey

| PART NO. SS-2000 | |
|------------------|---------|
| Cartridge | 24/CASE |





RTV SILICONE SEALANT 1200

Premium Grade for Automotive for Indoor or Outdoor Use Remains Flexible and Waterproof Available In Black, Clear and White

| PART NO. SS-1200 BLK-3 | |
|------------------------|---------|
| 3 OZ./85g | 12/CASE |
| PART NO. SS-1200 CLR-3 | |
| 3 OZ./85g | 12/CASE |
| PART NO. SS-1200 WHT-3 | |
| 3 OZ./85g | 12/CASE |

RTV SILICONE SEALANT 1200

Premium Grade for Automotive for Indoor or Outdoor Use

Remains Flexible and Waterproof Available In Clear, White, Black, Bronze and Aluminum

| PART NO. SS-1200 | |
|------------------|---------|
| Cartridge | 24/CASE |



HI-TEMP RTV SILICONE SEALANT

For Cut Gasket Applications Up to 650°F (343°C)

Excellent Heat Control and Torque Retention

Safe for Sensor Equipped Vehicles

PART NO. SS-2400 (RED)
Cartridge



FLOWABLE SILICONE SEALANT

Flows into Hard to Reach and Hidden Areas to Stop Leaks

Seals Glass, Metal, Wood, Plastic and a Variety of Other Surfaces

Resistant to Weather and Extreme Temperatures up to 205°C

| P | ٩R | T | NO. | FS-3200-R | |
|---|----|---|-----|-----------|--|
| | | | | | |

24/CASE

3 OZ./85g 12/CASE

Repair Adhesives





ABRO REAR VIEW MIRROR A AUTO TRAM AGNESIVE PROPERTY OF THE PR



EPOXY STEEL 4 MINUTE KWIK-SET

Easy to Use Two-Part Adhesive and Filler Bonds and Repairs Almost Any Material Eliminates the Need for Welding or Brazing Ideal for Home, Hobby or Automotive Use

| PART NO. ES-507 | | | | |
|-----------------|---------|--|--|--|
| 2 OZ./57g | 12/CASE | | | |
| PART NO. ES-508 | | | | |
| .5 OZ./14.2g | 12/CASE | | | |

EPOXY CLEAR 4 MINUTE KWIK-SET

Provides a Strong Non-Yellowing Bond in

Ideal for Home, Hobby or Automotive Use Resists Water, Detergents and Most Solvents

| PART NO. EC-510 | |
|-----------------|---------|
| 5 OZ./14.2g | 12/CASE |
| | |

REAR VIEW MIRROR ADHESIVE

Simple Two-Step Process (Activator/ Adhesive)

Ultra Strong Permanent Bond Suitable for Re-Attaching Automotive Trim

| PART NO. RV-495 | |
|-----------------|--------|
| .04 OZ. | 12/CAS |
| | |

SUPER GLUE GEL

Non-Porous Surfaces

New High-Tech Formula Allows Vertical Applications Non-Drip Gel Sets in Seconds Works Well on Porous and

| PART NO. SG-380 | |
|-----------------|---------|
| .07 OZ./2g | 12/CASE |



EPOXY STEEL 4 MINUTE KWIK-SET AUTOMOTIVE GRADE

Bonds and Repairs Almost Any Material Easy to Use Two-Part Adhesive and Filler

PART NO. ES-5092 OZ./57g 12/CASE



EPOXY CLEAR 4 MINUTE KWIK-SET AUTOMOTIVE GRADE

Non-Yellowing, Resists Water and Most Solvents

Ideal for Automotive, Hobby or Home Use

PART NO. EC-520 1 OZ./28.4g 12/CASE



EPOXY STEEL INDUSTRIAL STRENGTH

Heavy Duty Bonding; Water and Solvent Resistant Sets up in 60 Minutes Full Cure in 24 Hours

PART NO. ES-5062 OZ./57g 12/CASE



ABRO STEEL®

Mixes Like Putty, Hardens Like Steel Can be Drilled, Tapped, Sanded or Filed When Cured

Single Package Comes in Black Color

PART NO. AS-2011.5 OZ./42.5g 12/CASE









ABRO®-FIX

Dual Adhesive Method Creates an Ultra-Strong Bond in Seconds

Professional Strength Formula Fills Holes, Gaps and Cracks Instantly

Can be Sanded, Painted and Drilled Once Dry

PART NO. AF-005

2 X 5 mL

12/CASE

SUPER GLUE

Permanent, Clear and Super Strong Bonds Most Non-Porous Surfaces in Seconds

PART NO. AB-747

.10 OZ./3g 12/CASE

SUPER GLUE

Permanent, Clear and Super Strong Bonds Most Non-Porous Surfaces in Seconds

Each Display Box Contains 12 Tubes Non-USA Origin

PART NO. SG-747

.10 OZ./3g 24 Boxes x 12 Glues 288/CASE

SUPER GLUE - HANGING DISPLAY*

Permanent, Clear and Super Strong Bonds Most Non-Porous Surfaces in Seconds

Each Display Contains 12 Tubes Non-USA Origin

PART NO. SG-747-12PK

.10 OZ./3g

24 Displays with 12 Glues 288/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.



Mixes Like Putty, Hardens Like Steel
Can be Drilled, Tapped, Sanded or Filed
When Cured
Packaged in Colorful Counter Display

Packaged in Colorful Counter Display Assorted by Color
 PART NO. AS-224
 BLACK

 PART NO. AS-224-W
 WHITE

 2 OZ./57g
 8 Cartons x 24 Tubes/CASE



SUPER GLUE BOTTLES - HANGING DISPLAY*

Permanent, Clear and Super Strong

Bonds Most Non-Porous Surfaces

in Seconds

Each Display Contains 12 Bottles Non-USA Origin

PART NO. SG-747-5G

5g 36 Displays with 12 Glue Bottles 432/CASE

* Currently not available for mixed orders from warehouse. Ships directly from factory.







PERFECT BOND® WHITE GLUE ADHESIVE

Non-USA Origin

Multi-Purpose Glue Works on a Variety of Porous Materials Like Wood, Cardboard, Cloth, Leather and Paper Allows Removal and Repositioning Before Quick Setting, Permanent Bond Non-Toxic Formula Color on Application: White Color When Dried: Clear

| PART NO. PB-250 | |
|------------------|------------------|
| 250g | (24 x 4) 96/CASE |
| PART NO. PB-500 | |
| 500g | 48/CASE |
| PART NO. PB-1KG | |
| 1kg | 12/CASE |
| PART NO. PB-5KG | |
| 5kg | 4/CASE |
| PART NO. PB-20KG | |
| 20kg | 1/DRUM |

PROFESSIONAL QUALITY TRIM ADHESIVE

High Strength, Two Sided Contact Adhesive; Accurate Spray Control Durable in Extreme Temperatures up to 200°F (93°C)

For Vinyl, Wood, Fabric, Steel, Rubber, Leather & More

| PART NO. TA-1300 | |
|------------------|---------|
| 13.5 OZ/382g | 12/CASE |

MULTI-PURPOSE SPRAY ADHESIVE

Permanent or Temporary Bond Versatile for Multi-Purpose Use Strong and Water-Resistant For Wood, Paper, Poly Foams, Leather & Many Plastics

| PART NO. SA-300 | |
|-----------------|---------|
| 11.5 OZ./326g | 12/CASE |



INSTA-MIX EPOXY QUICK SET

Special Insta-Mix Applicator Mixes Epoxy As it Dispenses

Joins Glass, Concrete, Metal & More Clear Epoxy Sets in 60 Seconds Super High Strength Formula

PART NO. EC-360

14mL 12/CASE



INSTA-MIX EPOXY FOR PLASTICS

Special Insta-Mix Applicator Mixes Epoxy As it Dispenses

Perfect for Plastic & Many Other Surfaces Cream Colored Epoxy Sets in 15 Minutes Super High Strength Formula

PART NO. EP-380

14mL 12/CASE



EPOXY CLEAR SYRINGE

Pre-Measured Dual Syringe for Consistent Results

Sets Up Crystal Clear in 5 Minutes Repairs a Variety of Household Materials

PART NO. EP-30025mL 12/CASE



EPOXY STEEL SYRINGE

Easy to Use, Eliminates Measuring Mistakes

Sets in 5 Minutes

| PART NO. EG-330 | |
|-----------------|---------|
| 30ml | 12/CASI |









ABRO® VOLT MAINTENANCE FREE BATTERIES*

Minimizes Power Storage Loss and Maximizes Effective Storage Time Environment Secured and Ensures Long Life Span and Strong Performance Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

ABRO Offers a Large Selection of Long Lasting Car Batteries for any Vehicle and Various Climates

ABRO® VOLT DRY CHARGED LOW MAINTENANCE BATTERIES*

Excellent Cold Temperature Resistance, Super Cold Cranking Capacity Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

ABRO Offers a Large Selection of Long Lasting Car Batteries for any Vehicle and Various Climates





ABRO" JET



ABRO®JET SEALED CALCIUM MAINTENANCE FREE BATTERIES*

Certified by Quality System Standards of ISO 9001 & ISO/TS 16949
Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

ABRO Offers a Large Selection of Long Lasting Car Batteries for any Vehicle and Various Climates

Air Fresheners













for Easy Sale

AIR FRESHENER SPRAY*

Eliminates Odors and Neutralizes Air Perfect for Home, Office and Car Odor Neutralizer, Aromatherapy and Essential Oil; Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

| AF-444-GA | GREEN APPLE |
|--------------|--------------|
| AF-444-LV | LAVENDER |
| AF-444-LE | LEMON |
| AF-444-LI | LILAC |
| AF-444-OB | OCEAN BREEZE |
| AF-444-RO | ROSE |
| AF-444-ST | STRAWBERRY |
| AF-444-VA | VANILLA |
| 10 OZ./300mL | 24/CASE |



Counter Display with Assorted Scents for Easy Sale

TED NAME WORLDWIDE

GEL-SCENT AIR FRESHENER

Highly Concentrated Gel

Spill Proof

Use in Home, Bathroom, Car or Office Lasts Up to 100 Days

Comes Assorted with 8 Different Scents

GS-300 ASSORTED 2 OZ./56q 6 Display Boxes with 24 Cans 144/CASE

ABRO®-SCENT ORGANIC AIR FRESHENER

Highly Concentrated, Organic Blocks

3 Spill Proof Blocks per Can Use in Home, Bathroom, Car or Office Lasts Up to 60 Days

Comes Assorted or Per Scent

| AS-560-AS | ASSORTED |
|-----------|-------------|
| AS-560-BG | BUBBLE GUM |
| AS-560-CB | COOL BREEZE |
| AS-560-CH | CHERRY |
| AS-560-CO | COCONUT |
| AS-560-GA | GREEN APPLE |
| AS-560-IB | ICE |
| AS-560-JA | JASMINE |

| AS-560-LE | LEMON |
|------------------------------|------------|
| AS-560-NC | NEW CAR |
| AS-560-PI | PINE |
| AS-560-ST | STRAWBERRY |
| AS-560-VA | VANILLA |
| AS-560-WB | WILD BERRY |
| 1.5 OZ./42g | |
| 6 Display Boxes with 24 Cans | 144/CASE |

AIR FRESHENER HOLDER*

50/CASE

Protects Open Cans of Organic Air Fresheners

Comes With Attachable Clip for Easy Mounting to Car Vents Comes with double sided adhesive for Dashboard mounting

ABRO Logo Embossed

Each Holder is Individually Packaged Available in Black, White and Grey Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

AS-560-HOLDER

ABRO

AROMATIZANT Extra Strength

VANILLA

CERAWBERN)



VENT-SCENT AIR FRESHENER

Long Lasting Scented Oil Air Fresheners Easily Clips Onto Any Air Vent Scent Strength Can be Regulated With Adjustable Cap

| VS-90-JA | JASMINE |
|-----------------|------------|
| VS-90-NC | NEW CAR |
| VS-90-ST | STRAWBERRY |
| VS-90-VA | VANILLA |
| .34 FL OZ./10mL | 144/CASE |



AIR FRESHENER

Long-Lasting Fragrance for Up to 8 Weeks

| AF-457-NC | NEW CAR |
|-----------|------------|
| AF-457-CH | CHERRY |
| AF-457-LE | LEMON |
| AF-457-PE | PEACH |
| AF-457-ST | STRAWBERRY |
| AF-457-GA | GARDENIA |
| AF-457-JA | JASMINE |
| AF-457-VA | VANILLA |
| Singles | 144/CASE |





CUP SCENT AIR FRESHENER

Long Lasting Scented Oil Air Fresheners Perfectly Fits Into all Cupholders in Cars Decorative Flacon Looks Elegant on Desk, Console, in Bathroom, Kitchen, etc.



ELEGANT

AIR FRESHENER U.S. FLAG DESIGN

| AF-704-ST | STRAWBERRY |
|-----------|------------|
| Singles | 144/CASE |

AIR FRESHENER HANGING DISPLAY BOARD

PART NO. AF-835-AS
60 Assorted Pieces/Board 12 Boards/CASE

Consumer & Household





CLEANING WIPES

Industrial Grade Cleaning Wipes Used to Clean Grease, Grime, Paint, Graffiti, Adhesive and Many Other Soils Abrasive Side Cuts Through the Toughest Soils While Smooth Side Allows for Wiping Delicate Surfaces

| PART NO. CW-001-PR | |
|--------------------------|--------|
| PAINT & GRAFFITI REMOVER | |
| 9 x 12"/23 x 30 cm | 6/CASE |
| PART NO. CW-002-HS | |
| HEAVY DUTY CLEANING | |
| 9 x 12"/23 x 30 cm | 6/CASE |
| PART NO. CW-003-TL | |
| TOOL CLEANER | |
| 9 x 12"/23 x 30 cm | 6/CASE |

INDUSTRIAL HAND CLEANERS

Liquefies and Removes Stubborn Grease, Oil, Tar, Ink, Paint and More Specifically Formulated to Promote Healthy Skin Care

No Greasy Residue Left Behind

| PART NO. HC-001 | FRESH SCENT |
|--------------------|-------------|
| 550 mL | 12/CASE |
| PART NO. HC-002-CH | CHERRY |
| 550 mL | 12/CASE |
| PART NO. HC-003-PR | |
| PAINT REMOVER | |
| 550 mL | 12/CASE |
| | |









SILICONE SPRAY LUBRICANT

Stops Sticking, Binding and Squeaking Repels Moisture; Conditions Rubber Seals

STICKER & ADHESIVE REMOVER

Easily Removes Adhesives, Window and Bumper Stickers, Self Adhesive Labels and Adhesive Residue From Most Surfaces Will Not Harm Car Finishes

GLASS CLEANER

Concentrated, Non-Streak Formula Leaves Windows, Glass and Mirrors Sparkling Clean; Pleasant Scent, Deodorizes While it Cleans

AEROSOL SPRAY:

PART NO. GC-290 15 OZ./425g 12/CASE

GLASS CLEANER

Concentrated, Non-Streak Formula Leaves Windows, Glass and Mirrors Sparkling Clean; Pleasant Scent, Deodorizes While it Cleans

PUMP SPRAY:

| PART NO. GC-300 | |
|-----------------|---------|
| 22 OZ./650mL | 12/CASE |

PART NO. SL-900 10 OZ./283g 12/CASE


PART NO. SR-200 8 OZ./227g 12/CASE



BATHROOM CLEANER

Cleans, Shines, and Deodorizes Works Well on Bathtubs, Sinks, Shower Stalls, Plastic Chrome, etc. No Scrubbing - Spray, Wait and Wipe Away

15 OZ./425g





HEAVY STARCH

Professional Formula No-Clog Formula Makes Ironing Faster and Easier For All Washable Fabrics

PART NO. HS-200 12/CASE 20 OZ./567g



DISINFECTANT SPRAY

Disinfects and Sanitizes Metal, Glazed Porcelain, Plastic, Ceramic and Non-Wood Surfaces

Kills Aids Virus, 99.9% of Germs and Flu Virus on Hard. Non-Porous Surfaces

| PART NO. DS-340 | |
|-----------------|---------|
| 12 OZ./340g | 12/CASE |



ELECTRONIC CONTACT CLEANER

Cleans Oil, Grease, Dirt, Condensation and Moisture from Circuit Boards, Electrical Contacts, Switches, Precision Instruments and More

| PART NO. EC-533 | |
|-----------------|---------|
| 5.75 OZ./163g | 12/CASE |
| PART NO. EC-833 | |
| 10 OZ/283g | 12/CASE |



LEMON FRESH **FURNITURE POLISH**

Cleans and Moisturizes With a Special Blend of Lemon Oil and Waxes Convenient Applicator Cap

PART NO. FP-801 415mL 12/CASE



OVEN CLEANER

Spray-On Foam Cuts Through Baked-On Grease in One Hour

Easy Cleanup With a Damp Sponge

| PART NO. OC-700 | |
|-----------------|---------|
| 10 OZ./283g | 12/CASE |



HAND CLEANER

Clean and Fresh Natural Citrus Scent With Fine Pumice

Solvent-Free to Safely Cut Through the Toughest Stains

PART NO. HC-141

14 OZ./397g 12/CASE



HAND CLEANER

Clean and Fresh Natural Citrus Scent With Fine Pumice

Solvent-Free to Safely Cut Through the Toughest Stains

| PART NO. HC-241 | |
|-----------------|--------|
| 1 GAL./3.785L | 4/CASE |

Specialty Products



HIGH-QUALITY SPARK PLUGS*

Built to Withstand Extreme Operating **Temperatures**

Designed for Consistent Performance Prolongs Service Life Adds Extra Power

Non-USA Origin

1. ES6BK - SPECIAL THREAD PART NO.: AB-ES6BK

20 x 10/DISPLAY = 200/CASE

2. HS6BP - SHORT THREAD

PART NO.: AB-HS6BP

20 x 10/DISPLAY = 200/CASE

3. ES6BP - LONG THREAD PART NO.: AB-ES6BP 20 x 10/DISPLAY = 200/CASE

For additional threads, please contact your ABRO sales representative.

* Currently not available for mixed orders from warehouse. Ships directly from factory.



Durable Nylon Zip Ties Black, White, & Assorted Colors Available in Different Lengths & Packaging For Home, Office, & Car Electrical Great for Wire Identification Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



HOSE CLAMPS★

Universal Hardware for Locking and Sealing Used to Connect Rigid and Flexible Piping, Fastening and Sealing Hose Connections, and Ventilation Ducts

Clamps Come in a Variety of Types and Sizes to Serve in Many Different Applications; Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



Lightweight and Comfortable

4 Optical Sensors

Suitable for Any Type of Welding USA Eagle Design & Black

Non-USA Origin

* Currently not available for mixed orders



For Welding Stainless Steel Designed to Provide a Long Lasting Great Solder or Weld Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



WELDING WIRE*

Premium Quality Copper Coated Wire Used for Semi-Automatic Welding of Carbon and Low-Alloy Steels; Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



MULTI-PURPOSE SANDPAPER FOR WET & DRY APPLICATION*

ABRO Silicon Carbide Waterproof Sandpaper Sheet is Perfect for Sanding Everything From Lacquers, Paint, Body Fillers to Metal, Stone and Marble Work

ABRO's Waterproof Paper Sheet is Made with Sharp Cutting, Silicon Carbide Grain Works Best With Water or Other Sanding Lubricants Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

SANDPAPER GRITS:

| SA-100-100 | Sandpaper | 100 Grit |
|-------------|-----------|-----------|
| SA-150-100 | Sandpaper | 150 Grit |
| SA-180-100 | Sandpaper | 180 Grit |
| SA-220-100 | Sandpaper | 220 Grit |
| SA-240-100 | Sandpaper | 240 Grit |
| SA-280-100 | Sandpaper | 280 Grit |
| SA-320-100 | Sandpaper | 320 Grit |
| SA-400-100 | Sandpaper | 400 Grit |
| SA-60-50 | Sandpaper | 60 Grit |
| SA-600-100 | Sandpaper | 600 Grit |
| SA-800-100 | Sandpaper | 800 Grit |
| SA-1200-100 | Sandpaper | 1200 Grit |
| | | |

For additional grits, please contact your ABRO sales representative.

POWER FLUSH FUEL INJECTION CLEANER

Professional Grade Cleaner Designed for Use with Fuel Injector Cleaner/Tester

PART NO. FP-111

8 OZ./237mL 12/CASE





CAULKING GUN PREMIUM

Standard Ratchet Type, All Steel Welded Construction

Accommodates All 1/10 Gallon Cartridges Recommended for Light-to-Medium Viscosity Material; Non-USA Origin

PART NO. CG-305

24/CASE

CAULKING GUN

Standard Ratchet Type, All Steel Welded Construction

Accommodates All 1/10 Gallon Cartridges Recommended for Light-to-Medium Viscosity Material; Non-USA Origin

GRINDING WHEEL

PART NO.CG-302

36/CASE



FLAP DISCS*

Used on Angle Grinders for Accurate Finishing Grinding Metal Welds, Wood, and Materials

Made From Zirconium Corundum

Minimal Clogging Dust

Low Heat; Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



CUTTING WHEELS / CUTTING DISCS *

Made of Aluminum Oxide and Synthetic Resin, Fiberglass Reinforced

Used to Cut Stainless Steel & Sheet Steel Clean Cut Edge, Accurate and Fast Cutting Perfect for a Wide Range of Metal Cutting Projects; Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.



Designed for Stainless Steel Grinding Constant Speed Grinding High Performance, Perfect for Finishing Non-USA Origin

* Currently not available for mixed orders from warehouse. Ships directly from factory.

| INCHILIT | ICAL | | | | | Н | | | | | |
|--|--|----|------------------|---|----------------|--------------------------|---|------------------|--------------------|---|------|
| 395 | Silver Cloth Duct Tape | 39 | CH-338 | Chamois Cloth 17"x 27" | 10 | HC-00 | Industrial Hand Cleaners | 54 | RI-707 | Radiator Rust Inhibitor | 18 |
| 2123 | Masking Tape | 38 | CH-550 | Chamois Cloth New Generation 17"x 13" | 10 | HC-141 | Hand Cleaner | 55 | RR-378-R | Rust Evaporator | 44 |
| 2129 | Polypropylene Packaging Tape | 39 | 011.555 | 0 : 0 !! 1 0 !! 47" 07" | - 40 | HC-241 | Hand Cleaner | 55 | RS-425 | Rubber Sealer | 42 |
| 2290 | Aluminum Foil Tape | 38 | CH-555 | Chamois Cloth New Generation 17"x 27" | 10 | HC | Hose Clamps | 56 | RT-4-60-33 | Peel & Seal Roof Tape - Flashing Tape | 39 |
| 3450 | FSK Facing Tape | 38 | CL-100 | Chain Lube | 29 | HR-237 | Headlight Restoration Polish | 8 | RT-6-60-33 | Peel & Seal Roof Tape - Flashing Tape | 39 |
| 6620 | Colored Duct Tape | 39 | CP-880 | Liquid Polish Chrome & Metal | 6 | HS-200 | Heavy Starch | 55 | RV-495 | Rear View Mirror Adhesive | 48 |
| #11-4-5L | #11 Nitrocellulose Thinner | 42 | CS-60 | Cup Scent Air Freshener | 53 | | • | | | | |
| 10-AB | RTV Silicone Gasket Maker-Blue | 46 | CT-210 | Cleaning Cloth | 9 | | | | | | |
| 11-AB | RTV Silicone Gasket Maker-Red | 46 | CV-503 | CV Joint Grease | 21 | - 1 | | | S | | |
| 11-AB-8-R | Air Power RTV Silicone Gasket Maker-Red | 46 | CW-00 | Cleaning Wipes | 54 | IC-509 | Fuel Injector Cleaner | 24 | SA | Sandpaper | 57 |
| 11-AB-42 | RTV Silicone Gasket Maker-Red 1.5 OZ. | 46 | CW-927 | Carnauba Wash-n-Glo 17.3 OZ. | 7 | IC-509-6-R | Fuel Injector Cleaner 5.25 OZ. | 25 | SA-300 | Multi-Purpose Spray Adhesive | 50 |
| 12-AB | RTV Silicone Gasket Maker-Black | 46 | CW-990 | Premium Gold Car Wash | 6 | IC-599-6-R | High Mileage Fuel Injector Cleaner | 25 | SF-50-20218 | Stretch Films - Colored | 40 |
| 12-AB-8-R | Air Power RTV Silicone Gasket Maker-Black | | | | | Ice and Snow F | | 27 | ST-18-17.8 | Stretch Films - Clear | 40 |
| 12-AB-42 | RTV Silicone Gasket Maker-Black 1.5 OZ. | 46 | | | | ice and Show r | terriovar 100is | | SF-650 | Starting Fluid | 27 |
| 13-AB-42 13-AB | RTV Silicone Gasket Maker-Clear | 46 | D | | | | | | | | 48 |
| 13-AB-42 | RTV Silicone Gasket Maker-Clear 1.5 OZ. | 46 | DA-650 | Diesel Fuel Anti-Gel Treatment 12 OZ. | 27 | J | | | SG-380 | Super Glue Gel | |
| | | | DA-946 | Diesel Fuel Anti-Gel Treatment 32 OZ. | 27 | | | | SG-747 | Super Glue | 49 |
| 14-AB | RTV Silicone Gasket Maker-White | 46 | DG-200 | Heavy Duty Engine Degreaser | 22 | JS-300 | Jumbo Sponge | 9 | SG-747-5g | Super Glue Bottles Hanging Display | 49 |
| 2123Y | Automotive Masking Tape | 38 | | Foaming Engine Degreaser | 22 | | | | SG-747-12PK | Super Glue Hanging Display | 49 |
| 412-AB | Ultra Plus RTV Silicone Gasket Maker-Black | 46 | DG-300 | | | | | | SL-624 | Liquid Heavy Duty Stop Leak | 28 |
| 418-AB | Ultra Plus Copper | | DG-400 | Super Heavy Duty Industrial Strength | 20 | L | | | SL-900 | Silicone Spray Lubricant | 54 |
| | RTV Silicone Gasket Maker | 46 | B. 500 | Engine Degreaser | 22 | LC-472 | Leather Cleaner | 11 | SM-100 | ABRO Smooth 100 | |
| 9-AB | 999 RTV Silicone Gasket Maker-Grey | 46 | DI-502 | Diesel Injector Cleaner 12 OZ. | 24 | LC-536 | Leather Cream Conditioner | 11 | | Premium Engine Treatment | 26 |
| 9-AB-8-R | Air Power RTV Silicone Gasket Maker-Grey | | DI-532 | Diesel Injector Cleaner 32 OZ. | 25 | LC-750 | Premium Leather Conditioner | 6 | SMF | ABRO JET Batteries | 51 |
| 9-AB-42 | 999 RTV Silicone Gasket Maker-Grey | 46 | | Adhesive Tape | 40 | LD-111 | Lock De-Icer | 27 | SP | Spray Paints | 13 |
| | | _ | DP-633 | Scented Dashboard Polish | 8 | LF-AF-OAT | Long Life Anti-Freeze Coolant | 19 | SP-317 | Premium Chrome Plate Spray Paint | 13 |
| | | | DP-BC-100 | Decorative Spray Paint, Crackle Base Coat | | LG-380 | White Lithium Grease | 21 | SP-318 | Premium 18 KT. Gold Spray Paint | 13 |
| Α | | | DP-ST-300 | Decorative Spray Paint, Clear Sealer | 15 | LG-857 | #2 Heavy-Duty Lithium Grease | 21 | SPP | Plastic Spray Paint | 12 |
| AB-301 | ABROCOLOR Colored Automotive Polish | 7 | DP-ST-300 | Decorative Spray Paint, Stone Premium | 15 | LG-920 | #2 Super Red Lithium Grease - 16 OZ. | 21 | SR-200 | Sticker and Adhesive Remover Spray | 54 |
| AB-404 | Powder Stop Leak | 28 | DP-TC-200 | Decorative Spray Paint, Crackle Top Coat | 14 | LG-920 LG-921 | #2 Super Red Lithium Grease - To OZ. | 21 | SR-800 | Premium Scratch Remover | - 6 |
| AB-500 | Oil Treatment | 26 | DS-1050 | Duct Sealant | 43 | | #2 Super Red Lithium Grease - Cartriage #2 Super Blue Lithium Grease | 21 | SS-1000 | RTV Silicone Sealant 1000 Cartridge | 47 |
| AB-505 | Radiator Flush | 28 | DS-340 | Disinfectant Spray | 55 | LG-935 | | | SS-1000-40C | RTV Silicone Sealant 1000 Caltridge RTV Silicone Sealant 1000 1.36 OZ. | 47 |
| AB-703 | Foam Insulation Sealant | 41 | DS-900 | Diesel System Cleaner | 26 | LG-990 | #3 Synthetic Lithium Grease | 21 | SS-1200 | RTV Silicone Sealant 1200 Cartridge | 47 |
| AB-747 | Super Glue | 49 | DT-508 | Diesel Fuel Treatment | 25 | LL-TF-OAT | Long Life Coolant Tropical Formula | 18 | | | |
| 4B-80 | Spray Lubricant 10 OZ. | 29 | 5. 500 | | 20 | LQ-11 | #11 Lacquer Thinner | 42 | SS-1200-3 | RTV Silicone Sealant 1200 3 OZ. | 47 |
| AB-80 AB-80-210-R | Spray Lubricant 210mL | 29 | | | | Lubricants | | 30-37 | SS-2000 | RTV Silicone Sealant 2000 | 47 |
| | | | E | | | LW-811 | Carnauba Car Wax Super Gold Liquid | 7 | SS-2400 | Hi-Temp RTV Silicone Sealant | 47 |
| | Platinum Spray Lubricant 400mL | 29 | EC-360 | Insta Mix Epoxy Quick Set | 50 | LW-900 | Premium Carnauba Liquid Wax | 6 | SS-510 | Smoke Stop | 25 |
| AB-800-5R-P | Platinum Spray Lubricant 210mL | 29 | EC-500 | Radiator Coolant 15 OZ. | 18 | | | | SS-822 | Super Seal | 41 |
| AC-050 | A/C Deodorizer | 28 | | Radiator Coolant 1 GAL | | | | | SS-999 | Grey 999 RTV Silicone Sealant | 46 |
| AC-100 | Air Clean Air Freshener & Hygiene Aid | 28 | EC-501 | | 18 | M | | | SW-300 | Silicone Cleaner & Car Wax | 7 |
| 4C-999 | ATF Conditioner | 28 | EC-502 | Red Radiator Coolant | 18 | MD-300 | Microfiber Duster Small | 9 | | | |
| AF-005 | ABRO-Fix | 49 | EC-503 | Engine Coolant Green | 19 | | | | | | |
| AF-190 | Clearview Anti-Fog | 10 | EC-510 | Epoxy Clear 4 Minute Kwik-Set | 48 | MD-360 MD-420 | Microfiber Duster Economy Size | 9 | T | | |
| AF-444 | Air Freshener Spray | 52 | EC-520 | Epoxy Clear 4 Minute Kwik-Set | | | Microfiber Duster Professional Size | 9 | TA-1300 | Professional Quality Trim Adhesive | 50 |
| AF-457 | Air Freshener | 53 | | Automotive Grade | 48 | MF-390 | Motor Flush 15 OZ. | 26 | TC-800 | Foaming Tire Cleaner | 11 |
| AF-504-1L | Anti-Freeze 1 L | 19 | EC-533 | Electronic Contact Cleaner | 55 | MF-391 | Motor Flush 30 OZ. | 26 | TL-342 | ABROLOK Blue Removable Threadlock | 41 |
| AF-505-GL | Anti-Freeze 1 GAL. | 19 | EC-554 | Tropical Formula Coolant Dark Green | 19 | MG-800-10 | Multi-Purpose Grease | 21 | TL-371 | ABROLOK Permanent Threadlock .02 OZ | |
| AF-704-ST | Air Freshener U.S. Flag Design | 53 | EC-600 | Radiator Coolant Red | 18 | MM-180 | Microfiber Mitt - Terry | 9 | TL-571 | ABROLOK Permanent Threadlock 50mL | 41 |
| AF-835-AS | Air Freshener Display Board | 53 | EC-833 | Electronic Contact Cleaner 10 OZ. | 55 | MM-280 | Microfiber Mitt - Chenille | 9 | TL-671 | ABROLOK Gel Permanent Threadlock | 41 |
| AL-629 | ABRO Lube Engine Treatment | 26 | EG-330 | Epoxy Steel Syringe | 50 | Motor Oils | | 30-33 | TM-185 | | 44 |
| | | 10 | Engine Oil | _p, cg. | 36 | | | | | Thermometal | |
| AR-180 | Clearview Anti-Rain | | EO-414 | Engine Oil Stop Leak | 24 | | | | TR-375 | Tail Light Repair | 44 |
| AS-60 | Anti-Slip Tape | 39 | EP-300 | Epoxy Clear Syringe | 50 | 0 | | | TS-100 | Siliconized Tire Shine | 11 |
| AS-201 | ABRO Steel | 48 | EP-380 | Insta Mix Epoxy Plastic | 50 | | | | TS-1000-R | Tire Sealant 1000mL | 17 |
| AS-224 | ABRO Steel | 49 | ER-400 | Exhaust System Repair Tape | 42 | OB-506 | Octane Booster | 25 | TS-130-R | Tire Sealant 130mL | 17 |
| AS-224-W | ABRO Steel - White | 49 | ES-332 | | 42 | OC-700 | Oven Cleaner | 55 | TS-350-R | Tire Sealant 350mL | 17 |
| AS-560 | ABRO-Scent Organic Air Freshener | 52 | | Exhaust System Sealer/Cement | | OT-511 | Premium Oil Treatment | 26 | TS-600-R | Tire Sealant 600mL | 17 |
| | ABRO Scent Organic Air Freshener Holder | 52 | ES-506 | Epoxy Steel Industrial Strength | 48 | OT-511-R | Platinum Premium Oil Treatment | 26 | TT-0.5-7YDS | PTFE Thread Seal Tape Blue | 40 |
| AS-600-BLK | Acrylic Latex Sealant 600 - Black | 47 | ES-507 | Epoxy Steel 4 Minute Kwik-Set | 48 | | | | TT-0.75-7YDS | PTFE Thread Seal Tape Blue | 40 |
| AS-600-WHT | Acrylic Latex Sealant 600 - White | 47 | ES-508 | Epoxy Steel 4 Minute Kwik-Set | 48 | | | | TT-0.5-10YDS | PTFE Thread Seal Tape Blue | 40 |
| AT | Transmission Fluids | 35 | ES-509 | Epoxy Steel 4 Minute Kwik-Set | | P | | | TT-0.75-10YDS | PTFE Thread Seal Tape Blue | 40 |
| AV | ABRO VOLT Batteries | 51 | | Autom. Grade | 48 | P.49-2 | P.49 Lightweight Plastic Filler | 43 | TT-170 | PTFE Thread Seal Tape Yellow 12MM | 40 |
| | | _ | ET-912 | PVC Electrical Tape | 38 | P.49-2 P.49-2-GAL | P.49 Lightweight Plastic Filler 1 GAL | 43 | TT-171 | PTFE Thread Seal Tape Yellow 18MM | 40 |
| | | | ET-914 | PVC Electrical Tape | 38 | P.49-2-GAL P.49LW-GL | P.49 Lightweight Plastic Filler 1 GAL | 43 | - | - P | |
| D | | | EZ-850 | American Body Filler | 43 | P.49LW-GL P.49LW-QT-6 | P.49 Lightweight Plastic Filler 1 QT. | 43 | | | |
| B | D-# 01 | | | | | | | | U | | |
| BC-425 | Bathroom Cleaner | 55 | | | | P.49-RE | Royal Eagle Lightweight Body Filler | 43 | U-60 | Spray Undercoating | 42 |
| BC-575 | Battery Terminal Cleaner | 23 | F | | | PA-312 | Protect-All Lemon 4 OZ. | 10 | UR-3000 | Urethane Auto Glass Adhesive | 43 |
| BC-750 | Brake & Parts Cleaner Non-Chlorinated | 22 | FC-577 | Clean All Foam Cleaner | 8 | PA-510 | Protect-All | 10 | 311-3000 | Orodinano Auto Glass Auriesive | 43 |
| BC-780 | Brake & Brake Parts Cleaner | 22 | FC-650 | Clean All Foam Cleaner Lime Scent | 8 | PA-512 | Protect-All Lemon 10 OZ. | 10 | | | |
| BD-100 | Belt Dressing & Conditioner | 29 | FD | Flap Discs | 57 | PB | Perfect Bond White Glue Adhesive | 50 | W | | |
| BF-99-4-16 | DOT 4 Brake Fluid 16 OZ. | 29 | FE-112-120 | ABC Fire Extinguisher | 16 | PC-310 | Polishing Compound | 44 | V | | |
| BF-99-4-P250 | DOT 4 Brake Fluid 8.4 OZ. | 29 | FE-911 | Fire Extinguisher | 17 | PD-320 | Heavy Duty Power Degreaser 32 OZ. | 23 | VS-90 | Vent-Scent Air Freshener | 53 |
| BF-99-M12A | DOT 3 Brake Fluid 12 OZ. Metal Can | 29 | FE-935 | Fire Extinguisher | 17 | PD-620 | Heavy Duty Power Degreaser 1 GAL | 23 | | | |
| BF-99-M250N | DOT 3 Brake Fluid 8.4 OZ. Metal Can | 29 | FE-939 | ABC Dry Powder Fire Extinguisher | 16 | PR-555-FB | Protect and Peel | 12 | | | |
| BF-99-M485A | DOT 3 Brake Fluid 16 OZ. Metal Can | 29 | FM-750-UN | Foam Insulation Sealant Industrial Size | 41 | PR-600 | Paint Remover | 12 | W | | |
| BF-99-P12A | DOT 3 Brake Fluid 12 OZ. | 29 | | | | PS-640 | Power Steering Fluid - Economy Grade | 28 | WC-160 | Wheel Cleaner | 11 |
| BF-99-P16A | DOT 3 Brake Fluid 16 OZ. | 29 | FP-111 FP-801 | Power Flush Fuel Injection Cleaner | 57 | PS-700 | Power Steering Fluid | 28 | WH-00 | Welding Helmet | 56 |
| BF-99-P250A | DOT 3 Brake Fluid 8.4 OZ. | 29 | | Lemon Fresh Furniture Polish | 55 | PS-950-QT | Power Steering Fluid 1 QT. | 28 | WD-300-AM-R | | 27 |
| BP-675 | Battery Terminal Protector | 23 | FS-3200 | Flowable Silicone Sealant | 47 | PW-0.2MM | PVC Pipe Wrap Tape | 39 | WD-400 | Windshield De-Icer | 27 |
| | Welding Electrodes | 56 | FS-900 | Fuel System Cleaner | 23 | PVC and CPVC | | 45 | WD-473 | 1-Step Wax & Dry | 10 |
| BT-422 | Bug & Tar Remover | 11 | | | | PW-400 | Super Gold Paste Wax | 7 | WR-290 | Windshield Repair Kit | 43 |
| BX-999 | BlackXtreme Wet Tire Shine | 11 | G | | | | | | WR-503-6-R | Water Remover Fuel Dryer | 25 |
| JN-333 | DIGGOALIGING WELLING SHILL | | GC-290 | Glass Cleaner Aerosol | 54 | | | | WS-904R | Windshield Repair Tape - Round | 42 |
| | | | GC-290 GC-300 | Glass Cleaner Pump Spray | 54 | Q | | | WS-904R WS-904S | Windshield Repair Tape - Square | 42 |
| _ | | | GC-300 GC-450 | Auto Glass Cleaner | 8 | | Quick Fix Time 1-8-4- 40 07 | 47 | | | - 42 |
| C | | | | | | QF-25 | Quick Fix Tire Inflator 12 OZ. | 17 | WE/WW | Welding Electrodes/ | _ |
| CC-200 | Carb & Choke Cleaner 10 OZ. | 22 | GL- | Gear Lube | 34 | QF-35 | Quick Fix Tire Inflator 15 OZ. | 17 | 1484/ 150 | Brazing Rods | 56 |
| CC-220 | Carb & Choke Cleaner 12 OZ. | 22 | GP-201 | Grinding Paste | 44 | | | | WW-456 | Windshield Washer - Ready Use | 20 |
| CC-300 | Foaming Carburetor Tune-up & Conditioner | | GR-303 | #3 Super Heavy-Duty Grease | 21 | | | | WW-500 | Windshield Washer Tablets | 20 |
| CD | Cutting Wheel/Disc | 57 | GR-600 | Gasket Remover | 23 | В | | | WW-516 | Windshield Washer - Concentrate | 20 |
| CG-302 | Caulking Gun | 57 | GS-10A | Eagle Head Gasket Shellac | 41 | R | | | WW-556 | Windshield Washer - Concentrate | 20 |
| | Caulking Gun - Premium | 57 | GS-300 | Gel-Scent Air Freshener | 52 | RC-1000-R | Rust Converter Spray | 44 | WW-606 | Waterless Wash & Wax | 7 |
| CG-305 | | 47 | GT-409 | Gear Oil Treatment | 29 | RC-295 | Rubbing Compound Superior Performance | e 44 | | * | |
| | Ultra Plus Conner Gasket Shrov | | | | | | | | | | |
| CG-418 | Ultra Plus Copper Gasket Spray Chamois Cloth Economy 17" y 13" | | | Gasoline Treatment | 24 | RC-947 | Rubbing Compound Superior Performance | e 44 | | | |
| CG-418 CH-220 | Chamois Cloth Economy 17" x 13" | 10 | GT-507 | Gasoline Treatment Gas Booster | 24 25 | | Anti-Rust Enamel Premium | | Z | | |
| CG-305 CG-418 CH-220 CH-222 CH-330 | | | | Gasoline Treatment Gas Booster Grinding Wheel | 24 25 57 | RC-947 RE RF-505 | | e 44 12 28 | Z | Zip Ties | 56 |

Our Promotional Marketing Tools to Support Your Growth

ABRO has been providing promotional products that support business growth. Marketing is the key to continued prosperity. We strive to understand what is important to you and help to define your needs.

We can assist you with designs for ABRO banners and signs.

ABRO offers promotional items, display stands, printed T-shirts, poster calendars, hats, pens, soccer balls, pins and other business gifts.

For details, please contact your ABRO sales manager.

ABRO is....
A TRUSTED NAME WORLDWIDE®









3580 Blackthorn Court South Bend, IN 46628 U.S.A. Tel. +1 574.232.8289 INDUSTRIES, INC. info@abro.com www.abro.com